

PG No. 26 D_{3h} $\bar{6}m2$ (-6m2 setting) [hexagonal]

* generator : 3_{001}^+ , m_{001} , m_{110}

* conjugacy class

- [1] : 1
- [2_{120}] : 2_{120} , 2_{210} , 2_{1-10}
- [3_{001}^+] : 3_{001}^+ , 3_{001}^-
- [m_{100}] : m_{100} , m_{010} , m_{110}
- [m_{001}] : m_{001}
- [-6_{001}^+] : -6_{001}^+ , -6_{001}^-

* symmetry operation

Table 1: Symmetry operations for 3d polar vector.

| No. | tag | matrix (polar) | det |
|-----|--------------|------------------------------------------------------------------------|-----|
| 1 | 1 | $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | 1 |
| 2 | 3_{001}^+ | $\begin{bmatrix} 0 & -1 & 0 \\ 1 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | 1 |
| 3 | 3_{001}^- | $\begin{bmatrix} -1 & 1 & 0 \\ -1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | 1 |
| 4 | m_{001} | $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | -1 |
| 5 | -6_{001}^- | $\begin{bmatrix} 0 & -1 & 0 \\ 1 & -1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | -1 |
| 6 | -6_{001}^+ | $\begin{bmatrix} -1 & 1 & 0 \\ -1 & 0 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | -1 |
| 7 | m_{110} | $\begin{bmatrix} 0 & -1 & 0 \\ -1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | -1 |
| 8 | m_{100} | $\begin{bmatrix} -1 & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | -1 |
| 9 | m_{010} | $\begin{bmatrix} 1 & 0 & 0 \\ 1 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | -1 |
| 10 | 2_{1-10} | $\begin{bmatrix} 0 & -1 & 0 \\ -1 & 0 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | 1 |
| 11 | 2_{120} | $\begin{bmatrix} -1 & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | 1 |

continued ...

Table 1

| No. | tag | matrix (polar) | det |
|-----|-----------|-----------------------------------------------------------------------|-----|
| 12 | 2_{210} | $\begin{bmatrix} 1 & 0 & 0 \\ 1 & -1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | 1 |