

SG No. 89 D_4^1 $P422$ [tetragonal]

* plus set: $+ [0, 0, 0]$

Table 1: Wyckoff site: 1a, site symmetry: 422

No.	position	mapping
1	$[0, 0, 0]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 2: Wyckoff site: 1b, site symmetry: 422

No.	position	mapping
1	$[0, 0, \frac{1}{2}]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 3: Wyckoff site: 1c, site symmetry: 422

No.	position	mapping
1	$[\frac{1}{2}, \frac{1}{2}, 0]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 4: Wyckoff site: 1d, site symmetry: 422

No.	position	mapping
1	$[\frac{1}{2}, \frac{1}{2}, \frac{1}{2}]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 5: Wyckoff site: 2e, site symmetry: 222.

No.	position	mapping
1	$[\frac{1}{2}, 0, 0]$	$[1, 2, 5, 6]$
2	$[0, \frac{1}{2}, 0]$	$[3, 4, 7, 8]$

Table 6: Wyckoff site: 2f, site symmetry: 222.

No.	position	mapping
1	$[\frac{1}{2}, 0, \frac{1}{2}]$	$[1, 2, 5, 6]$
2	$[0, \frac{1}{2}, \frac{1}{2}]$	$[3, 4, 7, 8]$

Table 7: Wyckoff site: $2g$, site symmetry: $4..$

No.	position	mapping
1	$[0, 0, z]$	$[1, 2, 3, 4]$
2	$[0, 0, -z]$	$[5, 6, 7, 8]$

Table 8: Wyckoff site: $2h$, site symmetry: $4..$

No.	position	mapping
1	$[\frac{1}{2}, \frac{1}{2}, z]$	$[1, 2, 3, 4]$
2	$[\frac{1}{2}, \frac{1}{2}, -z]$	$[5, 6, 7, 8]$

Table 9: Wyckoff site: $4i$, site symmetry: $2..$

No.	position	mapping
1	$[0, \frac{1}{2}, z]$	$[1, 2]$
2	$[\frac{1}{2}, 0, z]$	$[3, 4]$
3	$[0, \frac{1}{2}, -z]$	$[5, 6]$
4	$[\frac{1}{2}, 0, -z]$	$[7, 8]$

Table 10: Wyckoff site: $4j$, site symmetry: $..2$

No.	position	mapping
1	$[x, x, 0]$	$[1, 7]$
2	$[-x, -x, 0]$	$[2, 8]$
3	$[-x, x, 0]$	$[3, 5]$
4	$[x, -x, 0]$	$[4, 6]$

Table 11: Wyckoff site: $4k$, site symmetry: $..2$

No.	position	mapping
1	$[x, x, \frac{1}{2}]$	$[1, 7]$
2	$[-x, -x, \frac{1}{2}]$	$[2, 8]$
3	$[-x, x, \frac{1}{2}]$	$[3, 5]$
4	$[x, -x, \frac{1}{2}]$	$[4, 6]$

Table 12: Wyckoff site: $4l$, site symmetry: $.2$.

No.	position	mapping
1	$[x, 0, 0]$	$[1, 6]$
2	$[-x, 0, 0]$	$[2, 5]$
3	$[0, x, 0]$	$[3, 7]$
4	$[0, -x, 0]$	$[4, 8]$

Table 13: Wyckoff site: $4m$, site symmetry: $.2$.

No.	position	mapping
1	$[x, \frac{1}{2}, \frac{1}{2}]$	$[1, 6]$
2	$[-x, \frac{1}{2}, \frac{1}{2}]$	$[2, 5]$
3	$[\frac{1}{2}, x, \frac{1}{2}]$	$[3, 7]$
4	$[\frac{1}{2}, -x, \frac{1}{2}]$	$[4, 8]$

Table 14: Wyckoff site: $4n$, site symmetry: $.2$.

No.	position	mapping
1	$[x, 0, \frac{1}{2}]$	$[1, 6]$
2	$[-x, 0, \frac{1}{2}]$	$[2, 5]$
3	$[0, x, \frac{1}{2}]$	$[3, 7]$
4	$[0, -x, \frac{1}{2}]$	$[4, 8]$

Table 15: Wyckoff site: $4o$, site symmetry: $.2$.

No.	position	mapping
1	$[x, \frac{1}{2}, 0]$	$[1, 6]$
2	$[-x, \frac{1}{2}, 0]$	$[2, 5]$
3	$[\frac{1}{2}, x, 0]$	$[3, 7]$
4	$[\frac{1}{2}, -x, 0]$	$[4, 8]$

Table 16: Wyckoff site: $8p$, site symmetry: 1

No.	position	mapping
1	$[x, y, z]$	$[1]$
2	$[-x, -y, z]$	$[2]$
3	$[-y, x, z]$	$[3]$
4	$[y, -x, z]$	$[4]$

continued ...

Table 16

No.	position	mapping
5	$[-x, y, -z]$	[5]
6	$[x, -y, -z]$	[6]
7	$[y, x, -z]$	[7]
8	$[-y, -x, -z]$	[8]