

PG No. 3  $C_2$  2 (b-axis setting) [ monoclinic ] (lg basis)

bra: =  $\langle s |$   
ket: =  $|s\rangle$

Table 1: (s,s) block.

| No. | multipole      | matrix                            |
|-----|----------------|-----------------------------------|
| 1   | symmetry       | 1                                 |
|     | $Q_0^{(a)}(A)$ | $\begin{bmatrix} 1 \end{bmatrix}$ |

bra: =  $\langle s |$   
ket: =  $|p_x\rangle, |p_y\rangle, |p_z\rangle$

Table 2: (s,p) block.

| No. | multipole         | matrix  |
|-----|-------------------|---|
| 2   | symmetry          | $y$   |
|     | $Q_1^{(a)}(A)$    | $\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$  |
| 3   | symmetry          | $x$   |
|     | $Q_1^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$  |
| 4   | symmetry          | $z$   |
|     | $Q_1^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$  |
| 5   | symmetry          | $y$   |
|     | $T_1^{(a)}(A)$    | $\begin{bmatrix} 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$ |
| 6   | symmetry          | $x$   |
|     | $T_1^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$ |
| 7   | symmetry          | $z$   |
|     | $T_1^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} \end{bmatrix}$ |

bra: =  $\langle s |$   
ket: =  $|d_v\rangle, |d_{xy}\rangle, |d_{xz}\rangle, |d_{yz}\rangle, |d_u\rangle$

Table 3: (s,d) block.

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
| 8   | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$                              |
|     | $\mathbb{Q}_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$  |
| 9   | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$                                      |
|     | $\mathbb{Q}_2^{(a)}(A, 2)$ | $\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 10  | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{Q}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$  |
| 11  | symmetry                   | $\sqrt{3}yz$  |
|     | $\mathbb{Q}_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$  |
| 12  | symmetry                   | $\sqrt{3}xy$  |
|     | $\mathbb{Q}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 \end{bmatrix}$  |
| 13  | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$                              |
|     | $\mathbb{T}_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} \end{bmatrix}$ |
| 14  | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$                                      |
|     | $\mathbb{T}_2^{(a)}(A, 2)$ | $\begin{bmatrix} \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$ |
| 15  | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{T}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$ |
| 16  | symmetry                   | $\sqrt{3}yz$  |
|     | $\mathbb{T}_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$ |
| 17  | symmetry                   | $\sqrt{3}xy$  |
|     | $\mathbb{T}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 \end{bmatrix}$ |

bra: =  $\langle s |$ ket: =  $|f_2\rangle, |f_1\rangle, |f_{bz}\rangle, |f_3\rangle, |f_{3x}\rangle, |f_{3y}\rangle, |f_{az}\rangle$

Table 4: (s,f) block.

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
| 18  | symmetry                   | $\sqrt{15}xyz$  |
|     | $\mathbb{Q}_3^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 \end{bmatrix}$                      |
| 19  | symmetry                   | $-\frac{y(3x^2-2y^2+3z^2)}{2}$  |
|     | $\mathbb{Q}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{5}}{4} & 0 & 0 & 0 & -\frac{\sqrt{3}}{4} & 0 \end{bmatrix}$   |
| 20  | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$   |
|     | $\mathbb{Q}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{3}}{4} & 0 & 0 & 0 & \frac{\sqrt{5}}{4} & 0 \end{bmatrix}$    |
| 21  | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$   |
|     | $\mathbb{Q}_3^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{5}}{4} & 0 & 0 & 0 & -\frac{\sqrt{3}}{4} & 0 & 0 \end{bmatrix}$    |
| 22  | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$  |
|     | $\mathbb{Q}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$                      |
| 23  | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
|     | $\mathbb{Q}_3^{(a)}(B, 3)$ | $\begin{bmatrix} -\frac{\sqrt{3}}{4} & 0 & 0 & 0 & -\frac{\sqrt{5}}{4} & 0 & 0 \end{bmatrix}$   |
| 24  | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |
|     | $\mathbb{Q}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$                      |
| 25  | symmetry                   | $\sqrt{15}xyz$  |
|     | $\mathbb{T}_3^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 \end{bmatrix}$                     |
| 26  | symmetry                   | $-\frac{y(3x^2-2y^2+3z^2)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{5}i}{4} & 0 & 0 & 0 & -\frac{\sqrt{3}i}{4} & 0 \end{bmatrix}$ |
| 27  | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$   |
|     | $\mathbb{T}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{3}i}{4} & 0 & 0 & 0 & \frac{\sqrt{5}i}{4} & 0 \end{bmatrix}$  |
| 28  | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$   |
|     | $\mathbb{T}_3^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{5}i}{4} & 0 & 0 & 0 & -\frac{\sqrt{3}i}{4} & 0 & 0 \end{bmatrix}$  |
| 29  | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} \end{bmatrix}$                     |
| 30  | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(B, 3)$ | $\begin{bmatrix} -\frac{\sqrt{3}i}{4} & 0 & 0 & 0 & -\frac{\sqrt{5}i}{4} & 0 & 0 \end{bmatrix}$ |
| 31  | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |

continued ...

Table 4

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$ |

bra: =  $\langle p_x |, \langle p_y |, \langle p_z |$   
ket: =  $|p_x\rangle, |p_y\rangle, |p_z\rangle$

Table 5: (p,p) block.

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
| 32  | symmetry                   | 1  |
|     | $\mathbb{Q}_0^{(a)}(A)$    | $\begin{bmatrix} \frac{\sqrt{3}}{3} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{3} \end{bmatrix}$   |
| 33  | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$   |
|     | $\mathbb{Q}_2^{(a)}(A, 1)$ | $\begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{3} \end{bmatrix}$ |
| 34  | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$   |
|     | $\mathbb{Q}_2^{(a)}(A, 2)$ | $\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{2} & 0 \\ 0 & 0 & 0 \end{bmatrix}$                   |
| 35  | symmetry                   | $\sqrt{3}xz$   |
|     | $\mathbb{Q}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & 0 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$                    |
| 36  | symmetry                   | $\sqrt{3}yz$   |
|     | $\mathbb{Q}_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$                    |

*continued ...*

Table 5

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
| 37  | symmetry                   | $\sqrt{3}xy$   |
|     | $\mathbb{Q}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$    |
| 38  | symmetry                   | $y$  |
|     | $\mathbb{M}_1^{(a)}(A)$    | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} \\ 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$ |
| 39  | symmetry                   | $x$  |
|     | $\mathbb{M}_1^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{2} \\ 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$ |
| 40  | symmetry                   | $z$  |
|     | $\mathbb{M}_1^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{2}i}{2} & 0 \\ \frac{\sqrt{2}i}{2} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$ |

bra: =  $\langle p_x |, \langle p_y |, \langle p_z |$   
ket: =  $|d_v\rangle, |d_{xy}\rangle, |d_{xz}\rangle, |d_{yz}\rangle, |d_u\rangle$

Table 6: (p,d) block.

| No. | multipole               | matrix   |
|-----|-------------------------|--|
| 41  | symmetry                | $y$  |
|     | $\mathbb{Q}_1^{(a)}(A)$ | $\begin{bmatrix} 0 & \frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ -\frac{\sqrt{15}}{10} & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & 0 & 0 & \frac{\sqrt{15}}{10} & 0 \end{bmatrix}$ |
| 42  | symmetry                | $x$  |

*continued ...*

Table 6

| No. | multipole         | matrix   |
|-----|-------------------|--|
|     | $Q_1^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{15}}{10} & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 \end{bmatrix}$      |
| 43  | symmetry          | $z$  |
|     | $Q_1^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{15}}{10} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{5}}{5} \end{bmatrix}$                           |
| 44  | symmetry          | $\sqrt{15}xyz$   |
|     | $Q_3^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \end{bmatrix}$                               |
| 45  | symmetry          | $-\frac{y(3x^2-2y^2+3z^2)}{2}$   |
|     | $Q_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{10}}{10} & 0 & 0 & 0 \\ -\frac{3\sqrt{10}}{20} & 0 & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{10} & 0 \end{bmatrix}$ |
| 46  | symmetry          | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$  |
|     | $Q_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \end{bmatrix}$           |
| 47  | symmetry          | $\frac{x(2x^2-3y^2-3z^2)}{2}$  |
|     | $Q_3^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{3\sqrt{10}}{20} & 0 & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & -\frac{\sqrt{10}}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}}{10} & 0 & 0 \end{bmatrix}$  |
| 48  | symmetry          | $-\frac{z(3x^2+3y^2-2z^2)}{2}$   |
|     | $Q_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}}{10} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{10} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{10} \end{bmatrix}$                       |
| 49  | symmetry          | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$   |

continued ...

Table 6

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_3^{(a)}(B, 3)$ | $\begin{bmatrix} -\frac{\sqrt{6}}{12} & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \end{bmatrix}$ |
| 50  | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |
|     | $\mathbb{Q}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \\ \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$                     |
| 51  | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |
|     | $\mathbb{G}_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & -\frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 52  | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$  |
|     | $\mathbb{G}_2^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{3} & 0 & 0 & 0 \end{bmatrix}$                     |
| 53  | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{G}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \end{bmatrix}$          |
| 54  | symmetry                   | $\sqrt{3}yz$  |
|     | $\mathbb{G}_2^{(a)}(B, 1)$ | $\begin{bmatrix} -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & -\frac{1}{2} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \end{bmatrix}$         |
| 55  | symmetry                   | $\sqrt{3}xy$  |
|     | $\mathbb{G}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 \end{bmatrix}$                     |
| 56  | symmetry                   | $y$   |

continued ...

Table 6

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{T}_1^{(a)}(A)$    | $\begin{bmatrix} 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 & -\frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{15}i}{10} & 0 \end{bmatrix}$     |
| 57  | symmetry                   | $x$  |
|     | $\mathbb{T}_1^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{15}i}{10} & 0 & 0 & 0 & -\frac{\sqrt{5}i}{10} \\ 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 \end{bmatrix}$      |
| 58  | symmetry                   | $z$  |
|     | $\mathbb{T}_1^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{15}i}{10} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{5}i}{5} \end{bmatrix}$                            |
| 59  | symmetry                   | $\sqrt{15}xyz$   |
|     | $\mathbb{T}_3^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \end{bmatrix}$                                |
| 60  | symmetry                   | $-\frac{y(3x^2-2y^2+3z^2)}{2}$   |
|     | $\mathbb{T}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ -\frac{3\sqrt{10}i}{20} & 0 & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 \end{bmatrix}$ |
| 61  | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$           |
| 62  | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{3\sqrt{10}i}{20} & 0 & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 \end{bmatrix}$  |
| 63  | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$   |

continued ...

Table 6

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{30}i}{10} \end{bmatrix}$               |
| 64  | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(B, 3)$ | $\begin{bmatrix} -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \end{bmatrix}$ |
| 65  | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$                      |
| 66  | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |
|     | $\mathbb{M}_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & \frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 67  | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$  |
|     | $\mathbb{M}_2^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & \frac{\sqrt{3}i}{3} & 0 & 0 & 0 \end{bmatrix}$                     |
| 68  | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{M}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 \end{bmatrix}$           |
| 69  | symmetry                   | $\sqrt{3}yz$  |
|     | $\mathbb{M}_2^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & \frac{i}{2} \\ 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \end{bmatrix}$            |
| 70  | symmetry                   | $\sqrt{3}xy$  |

continued ...

Table 6

| No. | multipole         | matrix  |
|-----|-------------------|---|
|     | $M_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ -\frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 \end{bmatrix}$ |

bra: =  $\langle p_x |, \langle p_y |, \langle p_z |$

ket: =  $|f_2\rangle, |f_1\rangle, |f_{bz}\rangle, |f_3\rangle, |f_{3x}\rangle, |f_{3y}\rangle, |f_{az}\rangle$

Table 7: (p,f) block.

| No. | multipole         | matrix   |
|-----|-------------------|--|
| 71  | symmetry          | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$   |
|     | $Q_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{7}}{7} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{7}}{7} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{14} \end{bmatrix}$   |
| 72  | symmetry          | $\frac{\sqrt{3}(x-y)(x+y)}{2}$   |
|     | $Q_2^{(a)}(A, 2)$ | $\begin{bmatrix} \frac{\sqrt{35}}{14} & 0 & 0 & 0 & -\frac{\sqrt{21}}{42} & 0 & 0 \\ 0 & \frac{\sqrt{35}}{14} & 0 & 0 & 0 & \frac{\sqrt{21}}{42} & 0 \\ 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 & 0 & 0 \end{bmatrix}$ |
| 73  | symmetry          | $\sqrt{3}xz$   |
|     | $Q_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 & 0 & -\frac{\sqrt{14}}{14} \\ 0 & 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{2\sqrt{21}}{21} & 0 & 0 \end{bmatrix}$                  |
| 74  | symmetry          | $\sqrt{3}yz$   |
|     | $Q_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{210}}{42} & 0 & 0 & 0 & -\frac{\sqrt{14}}{14} \\ 0 & 0 & 0 & 0 & 0 & \frac{2\sqrt{21}}{21} & 0 \end{bmatrix}$                 |
| 75  | symmetry          | $\sqrt{3}xy$   |

*continued ...*

Table 7

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{35}}{14} & 0 & 0 & 0 & -\frac{\sqrt{21}}{42} & 0 \\ -\frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 & -\frac{\sqrt{21}}{42} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 & 0 \end{bmatrix}$ |
| 76  | symmetry                   | $\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 1)$ | $\begin{bmatrix} \frac{\sqrt{15}}{12} & 0 & 0 & 0 & -\frac{1}{4} & 0 & 0 \\ 0 & -\frac{\sqrt{15}}{12} & 0 & 0 & 0 & -\frac{1}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$                      |
| 77  | symmetry                   | $-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 2)$ | $\begin{bmatrix} -\frac{\sqrt{21}}{12} & 0 & 0 & 0 & -\frac{\sqrt{35}}{28} & 0 & 0 \\ 0 & \frac{\sqrt{21}}{12} & 0 & 0 & 0 & -\frac{\sqrt{35}}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{210}}{42} \end{bmatrix}$ |
| 78  | symmetry                   | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 3)$ | $\begin{bmatrix} \frac{\sqrt{7}}{28} & 0 & 0 & 0 & -\frac{\sqrt{105}}{28} & 0 & 0 \\ 0 & \frac{\sqrt{7}}{28} & 0 & 0 & 0 & \frac{\sqrt{105}}{28} & 0 \\ 0 & 0 & -\frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 79  | symmetry                   | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 & 0 & \frac{\sqrt{10}}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{1}{8} & 0 & 0 & 0 & \frac{\sqrt{15}}{8} & 0 & 0 \end{bmatrix}$                                   |
| 80  | symmetry                   | $-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$  |
|     | $\mathbb{Q}_4^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & 0 & -\frac{3\sqrt{42}}{56} & 0 & 0 & 0 & -\frac{\sqrt{70}}{56} \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ -\frac{\sqrt{7}}{8} & 0 & 0 & 0 & -\frac{\sqrt{105}}{56} & 0 & 0 \end{bmatrix}$ |
| 81  | symmetry                   | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$  |
|     | $\mathbb{Q}_4^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 & 0 & -\frac{\sqrt{10}}{8} \\ 0 & -\frac{1}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}}{8} & 0 \end{bmatrix}$                                 |
| 82  | symmetry                   | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$  |

continued ...

Table 7

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_4^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ \frac{1}{2} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 83  | symmetry                   | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$   |
|     | $\mathbb{Q}_4^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{42}}{56} & 0 & 0 & 0 & -\frac{\sqrt{70}}{56} \\ 0 & \frac{\sqrt{7}}{8} & 0 & 0 & 0 & -\frac{\sqrt{105}}{56} & 0 \end{bmatrix}$ |
| 84  | symmetry                   | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$  |
|     | $\mathbb{Q}_4^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{7}}{28} & 0 & 0 & 0 & \frac{\sqrt{105}}{28} & 0 \\ \frac{\sqrt{7}}{28} & 0 & 0 & 0 & \frac{\sqrt{105}}{28} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \end{bmatrix}$  |
| 85  | symmetry                   | $\sqrt{15}xyz$   |
|     | $\mathbb{G}_3^{(a)}(A, 1)$ | $\begin{bmatrix} -\frac{1}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}}{12} & 0 & 0 \\ 0 & -\frac{1}{4} & 0 & 0 & 0 & \frac{\sqrt{15}}{12} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$                    |
| 86  | symmetry                   | $-\frac{y(3x^2-2y^2+3z^2)}{2}$   |
|     | $\mathbb{G}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{10}}{8} & 0 & 0 & 0 & \frac{\sqrt{6}}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{15}}{8} & 0 & 0 & 0 & -\frac{1}{8} & 0 & 0 \end{bmatrix}$                                 |
| 87  | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$  |
|     | $\mathbb{G}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}}{8} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{3}{8} & 0 & 0 & 0 & \frac{\sqrt{15}}{24} & 0 & 0 \end{bmatrix}$            |
| 88  | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$  |
|     | $\mathbb{G}_3^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{10}}{8} & 0 & 0 & 0 & -\frac{\sqrt{6}}{8} \\ 0 & -\frac{\sqrt{15}}{8} & 0 & 0 & 0 & \frac{1}{8} & 0 \end{bmatrix}$                                 |
| 89  | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$   |

continued ...

Table 7

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{G}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 90  | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
|     | $\mathbb{G}_3^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}}{8} \\ 0 & \frac{3}{8} & 0 & 0 & 0 & \frac{\sqrt{15}}{24} & 0 \end{bmatrix}$                   |
| 91  | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |
|     | $\mathbb{G}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & \frac{1}{4} & 0 & 0 & 0 & \frac{\sqrt{15}}{12} & 0 \\ -\frac{1}{4} & 0 & 0 & 0 & \frac{\sqrt{15}}{12} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \end{bmatrix}$                          |
| 92  | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |
|     | $\mathbb{T}_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{7}i}{7} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{7}i}{7} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{42}i}{14} \end{bmatrix}$   |
| 93  | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$  |
|     | $\mathbb{T}_2^{(a)}(A, 2)$ | $\begin{bmatrix} \frac{\sqrt{35}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{21}i}{42} & 0 & 0 \\ 0 & \frac{\sqrt{35}i}{14} & 0 & 0 & 0 & \frac{\sqrt{21}i}{42} & 0 \\ 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 & 0 \end{bmatrix}$ |
| 94  | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{T}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} \\ 0 & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{2\sqrt{21}i}{21} & 0 & 0 \end{bmatrix}$                   |
| 95  | symmetry                   | $\sqrt{3}yz$  |
|     | $\mathbb{T}_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} \\ 0 & 0 & 0 & 0 & 0 & \frac{2\sqrt{21}i}{21} & 0 \end{bmatrix}$                  |
| 96  | symmetry                   | $\sqrt{3}xy$  |

continued ...

Table 7

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{35}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{21}i}{42} & 0 \\ -\frac{\sqrt{35}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{21}i}{42} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 \end{bmatrix}$ |
| 97  | symmetry                   | $\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$  |
|     | $\mathbb{T}_4^{(a)}(A, 1)$ | $\begin{bmatrix} \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} & 0 & 0 \\ 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \end{bmatrix}$                        |
| 98  | symmetry                   | $-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$  |
|     | $\mathbb{T}_4^{(a)}(A, 2)$ | $\begin{bmatrix} -\frac{\sqrt{21}i}{12} & 0 & 0 & 0 & -\frac{\sqrt{35}i}{28} & 0 & 0 \\ 0 & \frac{\sqrt{21}i}{12} & 0 & 0 & 0 & -\frac{\sqrt{35}i}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{210}i}{42} \end{bmatrix}$ |
| 99  | symmetry                   | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$  |
|     | $\mathbb{T}_4^{(a)}(A, 3)$ | $\begin{bmatrix} \frac{\sqrt{7}i}{28} & 0 & 0 & 0 & -\frac{\sqrt{105}i}{28} & 0 & 0 \\ 0 & \frac{\sqrt{7}i}{28} & 0 & 0 & 0 & \frac{\sqrt{105}i}{28} & 0 \\ 0 & 0 & -\frac{\sqrt{42}i}{14} & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 100 | symmetry                   | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$  |
|     | $\mathbb{T}_4^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & 0 & \frac{\sqrt{10}i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{8} & 0 & 0 & 0 & \frac{\sqrt{15}i}{8} & 0 & 0 \end{bmatrix}$                                     |
| 101 | symmetry                   | $-\frac{\sqrt{5}xz(x^2 - 6y^2 + z^2)}{2}$   |
|     | $\mathbb{T}_4^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & 0 & -\frac{3\sqrt{42}i}{56} & 0 & 0 & 0 & -\frac{\sqrt{70}i}{56} \\ 0 & 0 & 0 & \frac{\sqrt{42}i}{14} & 0 & 0 & 0 \\ -\frac{\sqrt{7}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{105}i}{56} & 0 & 0 \end{bmatrix}$ |
| 102 | symmetry                   | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$   |
|     | $\mathbb{T}_4^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{10}i}{8} \\ 0 & -\frac{i}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{8} & 0 \end{bmatrix}$                                   |
| 103 | symmetry                   | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$   |

continued ...

Table 7

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_4^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 104 | symmetry                   | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$  |
|     | $\mathbb{T}_4^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{42}i}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{42}i}{56} & 0 & 0 & 0 & -\frac{\sqrt{70}i}{56} \\ 0 & \frac{\sqrt{7}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{105}i}{56} & 0 \end{bmatrix}$ |
| 105 | symmetry                   | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$   |
|     | $\mathbb{T}_4^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{7}i}{28} & 0 & 0 & 0 & \frac{\sqrt{105}i}{28} & 0 \\ \frac{\sqrt{7}i}{28} & 0 & 0 & 0 & \frac{\sqrt{105}i}{28} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}i}{14} & 0 & 0 & 0 \end{bmatrix}$  |
| 106 | symmetry                   | $\sqrt{15}xyz$  |
|     | $\mathbb{M}_3^{(a)}(A, 1)$ | $\begin{bmatrix} \frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} & 0 & 0 \\ 0 & \frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$                       |
| 107 | symmetry                   | $-\frac{y(3x^2-2y^2+3z^2)}{2}$  |
|     | $\mathbb{M}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{15}i}{8} & 0 & 0 & 0 & \frac{i}{8} & 0 & 0 \end{bmatrix}$                                   |
| 108 | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$   |
|     | $\mathbb{M}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{6}i}{24} & 0 & 0 & 0 & \frac{\sqrt{10}i}{8} \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ \frac{3i}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{24} & 0 & 0 \end{bmatrix}$               |
| 109 | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$   |
|     | $\mathbb{M}_3^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & 0 & \frac{\sqrt{6}i}{8} \\ 0 & \frac{\sqrt{15}i}{8} & 0 & 0 & 0 & -\frac{i}{8} & 0 \end{bmatrix}$                                   |
| 110 | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$  |

continued ...

Table 7

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{M}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 111 | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
|     | $\mathbb{M}_3^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 & 0 & \frac{\sqrt{10}i}{8} \\ 0 & -\frac{3i}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{24} & 0 \end{bmatrix}$ |
| 112 | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |
|     | $\mathbb{M}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & -\frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 \\ \frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \end{bmatrix}$          |

bra: =  $\langle d_v |, \langle d_{xy} |, \langle d_{xz} |, \langle d_{yz} |, \langle d_u |$   
ket: =  $|d_v\rangle, |d_{xy}\rangle, |d_{xz}\rangle, |d_{yz}\rangle, |d_u\rangle$

Table 8: (d,d) block.

| No. | multipole               | matrix   |
|-----|-------------------------|--|
| 113 | symmetry                | 1  |
|     | $\mathbb{Q}_0^{(a)}(A)$ | $\begin{bmatrix} \frac{\sqrt{5}}{5} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{5}}{5} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{5}}{5} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{5}}{5} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{5}}{5} \end{bmatrix}$ |
| 114 | symmetry                | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$   |

*continued ...*

Table 8

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_2^{(a)}(A, 1)$ | $\begin{bmatrix} -\frac{\sqrt{14}}{7} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{14}}{7} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{14}}{7} \end{bmatrix}$                       |
| 115 | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$  |
|     | $\mathbb{Q}_2^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{14}}{7} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{14} & 0 \\ -\frac{\sqrt{14}}{7} & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 116 | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{Q}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 \\ \frac{\sqrt{42}}{14} & 0 & 0 & 0 & \frac{\sqrt{14}}{14} \\ 0 & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 \end{bmatrix}$   |
| 117 | symmetry                   | $\sqrt{3}yz$  |
|     | $\mathbb{Q}_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{42}}{14} & 0 \\ 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 \\ 0 & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ -\frac{\sqrt{42}}{14} & 0 & 0 & 0 & \frac{\sqrt{14}}{14} \\ 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 \end{bmatrix}$ |
| 118 | symmetry                   | $\sqrt{3}xy$  |

*continued ...*

Table 8

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{14}}{7} \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 \\ 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 \\ 0 & -\frac{\sqrt{14}}{7} & 0 & 0 & 0 \end{bmatrix}$                        |
| 119 | symmetry                   | $\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 1)$ | $\begin{bmatrix} \frac{\sqrt{30}}{10} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{30}}{15} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{15} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{15} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{10} \end{bmatrix}$  |
| 120 | symmetry                   | $-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 2)$ | $\begin{bmatrix} -\frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 \\ 0 & \frac{2\sqrt{42}}{21} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}}{21} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{21} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{14} \end{bmatrix}$ |
| 121 | symmetry                   | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{42}}{14} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{14}}{7} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{7} & 0 \\ -\frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 \end{bmatrix}$                       |
| 122 | symmetry                   | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$   |

continued ...

Table 8

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_4^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & \frac{\sqrt{6}}{4} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{4} & 0 & 0 \end{bmatrix}$   |
| 123 | symmetry                   | $-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$   |
|     | $\mathbb{Q}_4^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & 0 & -\frac{3\sqrt{14}}{28} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{7} & 0 \\ -\frac{3\sqrt{14}}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}}{28} \\ 0 & \frac{\sqrt{14}}{7} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}}{28} & 0 & 0 \end{bmatrix}$ |
| 124 | symmetry                   | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$   |
|     | $\mathbb{Q}_4^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & -\frac{\sqrt{6}}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{4} & 0 \end{bmatrix}$   |
| 125 | symmetry                   | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$   |
|     | $\mathbb{Q}_4^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 126 | symmetry                   | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$  |

continued ...

Table 8

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_4^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{3\sqrt{14}}{28} & 0 \\ 0 & 0 & \frac{\sqrt{14}}{7} & 0 & 0 \\ 0 & \frac{\sqrt{14}}{7} & 0 & 0 & 0 \\ \frac{3\sqrt{14}}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}}{28} \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 \end{bmatrix}$        |
| 127 | symmetry                   | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$  |
|     | $\mathbb{Q}_4^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{14} \\ 0 & 0 & 0 & \frac{\sqrt{14}}{7} & 0 \\ 0 & 0 & \frac{\sqrt{14}}{7} & 0 & 0 \\ 0 & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \end{bmatrix}$  |
| 128 | symmetry                   | $y$  |
|     | $\mathbb{M}_1^{(a)}(A)$    | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{10}i}{10} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{10}i}{10} & 0 \\ -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & \frac{\sqrt{30}i}{10} \\ 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{30}i}{10} & 0 & 0 \end{bmatrix}$ |
| 129 | symmetry                   | $x$  |
|     | $\mathbb{M}_1^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{10}i}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 \\ 0 & \frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & -\frac{\sqrt{30}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{30}i}{10} & 0 \end{bmatrix}$ |
| 130 | symmetry                   | $z$  |

*continued ...*

Table 8

| No. | multipole         | matrix   |
|-----|-------------------|--|
|     | $M_1^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{10}i}{5} & 0 & 0 & 0 \\ \frac{\sqrt{10}i}{5} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 \\ 0 & 0 & \frac{\sqrt{10}i}{10} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 131 | symmetry          | $\sqrt{15}xyz$   |
|     | $M_3^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 132 | symmetry          | $-\frac{y(3x^2-2y^2+3z^2)}{2}$   |
|     | $M_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}i}{20} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{10}i}{5} & 0 \\ \frac{\sqrt{10}i}{20} & 0 & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & -\frac{\sqrt{10}i}{5} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 \end{bmatrix}$ |
| 133 | symmetry          | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$  |
|     | $M_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{4} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}i}{4} & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$  |
| 134 | symmetry          | $\frac{x(2x^2-3y^2-3z^2)}{2}$  |

continued ...

Table 8

| No. | multipole         | matrix   |
|-----|-------------------|--|
|     | $M_3^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{10}i}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{5} & 0 & 0 \\ 0 & \frac{\sqrt{10}i}{5} & 0 & 0 & 0 \\ \frac{\sqrt{10}i}{20} & 0 & 0 & 0 & \frac{\sqrt{30}i}{20} \\ 0 & 0 & 0 & -\frac{\sqrt{30}i}{20} & 0 \end{bmatrix}$ |
| 135 | symmetry          | $-\frac{z(3x^2+3y^2-2z^2)}{2}$   |
|     | $M_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{5} & 0 \\ 0 & 0 & \frac{\sqrt{10}i}{5} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 136 | symmetry          | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$   |
|     | $M_3^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{4} & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$  |
| 137 | symmetry          | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$   |
|     | $M_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{2} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 \end{bmatrix}$   |

bra: =  $\langle d_v |, \langle d_{xy} |, \langle d_{xz} |, \langle d_{yz} |, \langle d_u |$

ket: =  $|f_2\rangle, |f_1\rangle, |f_{bz}\rangle, |f_3\rangle, |f_{3x}\rangle, |f_{3y}\rangle, |f_{az}\rangle$

Table 9: (d,f) block.

| No. | multipole | matrix  |
|-----|-----------|---|
| 138 | symmetry  | $y$ $\mathbb{Q}_1^{(a)}(A) \begin{bmatrix} 0 & \frac{\sqrt{21}}{14} & 0 & 0 & 0 & \frac{\sqrt{35}}{70} & 0 \\ -\frac{\sqrt{21}}{14} & 0 & 0 & 0 & 0 & -\frac{\sqrt{35}}{70} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{14}}{14} & 0 & 0 & 0 & -\frac{\sqrt{210}}{70} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{105}}{35} & 0 \end{bmatrix}$   |
| 139 | symmetry  | $x$ $\mathbb{Q}_1^{(a)}(B, 1) \begin{bmatrix} \frac{\sqrt{21}}{14} & 0 & 0 & 0 & -\frac{\sqrt{35}}{70} & 0 & 0 \\ 0 & \frac{\sqrt{21}}{14} & 0 & 0 & 0 & -\frac{\sqrt{35}}{70} & 0 \\ 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 & 0 & -\frac{\sqrt{210}}{70} \\ 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{105}}{35} & 0 & 0 \end{bmatrix}$ |
| 140 | symmetry  | $z$ $\mathbb{Q}_1^{(a)}(B, 2) \begin{bmatrix} 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{2\sqrt{35}}{35} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{2\sqrt{35}}{35} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{3\sqrt{70}}{70} \end{bmatrix}$  |
| 141 | symmetry  | $\sqrt{15}xyz$ $\mathbb{Q}_3^{(a)}(A, 1) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & \frac{\sqrt{15}}{12} & 0 & 0 & 0 & \frac{1}{4} & 0 \\ -\frac{\sqrt{15}}{12} & 0 & 0 & 0 & \frac{1}{4} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 142 | symmetry  | $-\frac{y(3x^2-2y^2+3z^2)}{2}$  |

continued ...

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & \frac{1}{8} & 0 & 0 & 0 & \frac{11\sqrt{15}}{120} & 0 \\ -\frac{1}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}}{120} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}}{40} \\ 0 & \frac{5\sqrt{3}}{24} & 0 & 0 & 0 & -\frac{3\sqrt{5}}{40} & 0 \end{bmatrix}$ |
| 143 | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$   |
|     | $\mathbb{Q}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{15}}{24} & 0 & 0 & 0 & -\frac{1}{8} & 0 \\ \frac{\sqrt{15}}{24} & 0 & 0 & 0 & \frac{3}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & 0 & \frac{\sqrt{6}}{24} \\ 0 & \frac{\sqrt{5}}{8} & 0 & 0 & 0 & \frac{\sqrt{3}}{8} & 0 \end{bmatrix}$                              |
| 144 | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$   |
|     | $\mathbb{Q}_3^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{1}{8} & 0 & 0 & 0 & -\frac{11\sqrt{15}}{120} & 0 & 0 \\ 0 & \frac{1}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}}{120} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}}{40} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{5\sqrt{3}}{24} & 0 & 0 & 0 & -\frac{3\sqrt{5}}{40} & 0 & 0 \end{bmatrix}$ |
| 145 | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$  |
|     | $\mathbb{Q}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{30} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{30} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{15} \end{bmatrix}$  |
| 146 | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |

continued ...

Table 9

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_3^{(a)}(B, 3)$ | $\begin{bmatrix} \frac{\sqrt{15}}{24} & 0 & 0 & 0 & -\frac{1}{8} & 0 & 0 \\ 0 & \frac{\sqrt{15}}{24} & 0 & 0 & 0 & -\frac{3}{8} & 0 \\ 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & 0 & -\frac{\sqrt{6}}{24} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{5}}{8} & 0 & 0 & 0 & -\frac{\sqrt{3}}{8} & 0 & 0 \end{bmatrix}$ |
| 147 | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$   |
|     | $\mathbb{Q}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{15}}{12} & 0 & 0 & 0 & \frac{1}{4} & 0 & 0 \\ 0 & \frac{\sqrt{15}}{12} & 0 & 0 & 0 & -\frac{1}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 148 | symmetry                   | $\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$  |
|     | $\mathbb{Q}_5^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 149 | symmetry                   | $\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$  |
|     | $\mathbb{Q}_5^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & \frac{\sqrt{30}}{60} & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ -\frac{\sqrt{30}}{60} & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}}{10} & 0 & 0 & 0 \end{bmatrix}$                     |
| 150 | symmetry                   | $\frac{y(15x^4-40x^2y^2+30x^2z^2+8y^4-40y^2z^2+15z^4)}{8}$   |

*continued ...*

Table 9

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_5^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & \frac{11\sqrt{14}}{112} & 0 & 0 & 0 & \frac{5\sqrt{210}}{336} & 0 \\ \frac{5\sqrt{14}}{56} & 0 & 0 & 0 & \frac{\sqrt{210}}{168} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{21}}{42} & 0 & 0 & 0 \\ 0 & 0 & \frac{5\sqrt{21}}{84} & 0 & 0 & 0 & \frac{\sqrt{35}}{28} \\ 0 & \frac{\sqrt{42}}{48} & 0 & 0 & 0 & \frac{3\sqrt{70}}{112} & 0 \end{bmatrix}$     |
| 151 | symmetry                   | $\frac{3\sqrt{35}y(x^2-2xz-z^2)(x^2+2xz-z^2)}{8}$  |
|     | $\mathbb{Q}_5^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & \frac{3\sqrt{10}}{80} & 0 & 0 & 0 & -\frac{\sqrt{6}}{16} & 0 \\ \frac{\sqrt{10}}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{15}}{20} & 0 & 0 & 0 & \frac{1}{4} \\ 0 & -\frac{3\sqrt{30}}{80} & 0 & 0 & 0 & \frac{3\sqrt{2}}{16} & 0 \end{bmatrix}$                      |
| 152 | symmetry                   | $\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$  |
|     | $\mathbb{Q}_5^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & \frac{7\sqrt{30}}{120} & 0 & 0 & 0 & -\frac{\sqrt{2}}{8} & 0 \\ \frac{\sqrt{30}}{15} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 \end{bmatrix}$   |
| 153 | symmetry                   | $\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$   |
|     | $\mathbb{Q}_5^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{11\sqrt{14}}{112} & 0 & 0 & 0 & -\frac{5\sqrt{210}}{336} & 0 & 0 \\ 0 & -\frac{5\sqrt{14}}{56} & 0 & 0 & 0 & \frac{\sqrt{210}}{168} & 0 \\ 0 & 0 & -\frac{5\sqrt{21}}{84} & 0 & 0 & 0 & \frac{\sqrt{35}}{28} \\ 0 & 0 & 0 & \frac{\sqrt{21}}{42} & 0 & 0 & 0 \\ -\frac{\sqrt{42}}{48} & 0 & 0 & 0 & \frac{3\sqrt{70}}{112} & 0 & 0 \end{bmatrix}$ |
| 154 | symmetry                   | $\frac{z(15x^4+30x^2y^2-40x^2z^2+15y^4-40y^2z^2+8z^4)}{8}$   |

continued ...

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_5^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{21}}{42} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{21}}{42} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{210}}{42} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{210}}{42} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{105}}{21} \end{bmatrix}$   |
| 155 | symmetry                   | $\frac{3\sqrt{35}x(y^2-2yz-z^2)(y^2+2yz-z^2)}{8}$   |
|     | $\mathbb{Q}_5^{(a)}(B, 3)$ | $\begin{bmatrix} \frac{3\sqrt{10}}{80} & 0 & 0 & 0 & \frac{\sqrt{6}}{16} & 0 & 0 \\ 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 \\ 0 & 0 & \frac{\sqrt{15}}{20} & 0 & 0 & 0 & \frac{1}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ \frac{3\sqrt{30}}{80} & 0 & 0 & 0 & \frac{3\sqrt{2}}{16} & 0 & 0 \end{bmatrix}$ |
| 156 | symmetry                   | $\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$   |
|     | $\mathbb{Q}_5^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ \frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 157 | symmetry                   | $\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$   |
|     | $\mathbb{Q}_5^{(a)}(B, 5)$ | $\begin{bmatrix} -\frac{7\sqrt{30}}{120} & 0 & 0 & 0 & -\frac{\sqrt{2}}{8} & 0 & 0 \\ 0 & \frac{\sqrt{30}}{15} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{10}}{40} & 0 & 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 \end{bmatrix}$                                 |
| 158 | symmetry                   | $-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$  |

*continued ...*

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_5^{(a)}(B, 6)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{30}}{60} & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ 0 & -\frac{\sqrt{30}}{60} & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 \end{bmatrix}$      |
| 159 | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |
|     | $\mathbb{G}_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{35}}{14} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{14}}{14} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$                                       |
| 160 | symmetry                   | $\frac{\sqrt{3}(x-y)(x+y)}{2}$  |
|     | $\mathbb{G}_2^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{7}}{14} \\ 0 & -\frac{\sqrt{70}}{28} & 0 & 0 & 0 & \frac{\sqrt{42}}{28} & 0 \\ \frac{\sqrt{70}}{28} & 0 & 0 & 0 & \frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{35}}{14} & 0 & 0 & 0 \end{bmatrix}$ |
| 161 | symmetry                   | $\sqrt{3}xz$  |
|     | $\mathbb{G}_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & \frac{\sqrt{70}}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 \\ -\frac{\sqrt{70}}{28} & 0 & 0 & 0 & \frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{7}}{7} \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{14}}{14} & 0 \end{bmatrix}$  |
| 162 | symmetry                   | $\sqrt{3}yz$  |

*continued ...*

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{G}_2^{(a)}(B, 1)$ | $\begin{bmatrix} -\frac{\sqrt{70}}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & -\frac{\sqrt{70}}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{7}}{7} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 \end{bmatrix}$      |
| 163 | symmetry                   | $\sqrt{3}xy$  |
|     | $\mathbb{G}_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{7}}{14} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{70}}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & \frac{\sqrt{70}}{28} & 0 & 0 & 0 & \frac{\sqrt{42}}{28} & 0 \\ 0 & 0 & \frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 \end{bmatrix}$         |
| 164 | symmetry                   | $\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$  |
|     | $\mathbb{G}_4^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{4} & 0 & 0 & 0 & \frac{\sqrt{15}}{12} & 0 \\ -\frac{1}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}}{12} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 165 | symmetry                   | $-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$  |
|     | $\mathbb{G}_4^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{210}}{35} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{210}}{210} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{35}}{20} & 0 & 0 & 0 & \frac{5\sqrt{21}}{84} & 0 \\ \frac{\sqrt{35}}{20} & 0 & 0 & 0 & -\frac{5\sqrt{21}}{84} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$ |
| 166 | symmetry                   | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$  |

*continued ...*

Table 9

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{G}_4^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{42}}{14} \\ 0 & -\frac{3\sqrt{105}}{140} & 0 & 0 & 0 & -\frac{\sqrt{7}}{28} & 0 \\ \frac{3\sqrt{105}}{140} & 0 & 0 & 0 & -\frac{\sqrt{7}}{28} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{210}}{35} & 0 & 0 & 0 \end{bmatrix}$                                       |
| 167 | symmetry                   | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$   |
|     | $\mathbb{G}_4^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{15}}{40} & 0 & 0 & 0 & \frac{1}{8} & 0 \\ \frac{\sqrt{15}}{40} & 0 & 0 & 0 & -\frac{3}{8} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{10}}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{3\sqrt{10}}{40} & 0 & 0 & 0 & \frac{\sqrt{6}}{8} \\ 0 & \frac{3\sqrt{5}}{40} & 0 & 0 & 0 & -\frac{\sqrt{3}}{8} & 0 \end{bmatrix}$        |
| 168 | symmetry                   | $-\frac{\sqrt{5}x(x^2-6y^2+z^2)}{2}$   |
|     | $\mathbb{G}_4^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & \frac{\sqrt{105}}{280} & 0 & 0 & 0 & -\frac{9\sqrt{7}}{56} & 0 \\ -\frac{\sqrt{105}}{280} & 0 & 0 & 0 & -\frac{5\sqrt{7}}{56} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{70}}{40} & 0 & 0 & 0 & -\frac{\sqrt{42}}{56} \\ 0 & \frac{3\sqrt{35}}{40} & 0 & 0 & 0 & \frac{\sqrt{21}}{56} & 0 \end{bmatrix}$ |
| 169 | symmetry                   | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$  |
|     | $\mathbb{G}_4^{(a)}(B, 1)$ | $\begin{bmatrix} -\frac{\sqrt{15}}{40} & 0 & 0 & 0 & -\frac{1}{8} & 0 & 0 \\ 0 & -\frac{\sqrt{15}}{40} & 0 & 0 & 0 & -\frac{3}{8} & 0 \\ 0 & 0 & \frac{3\sqrt{10}}{40} & 0 & 0 & 0 & \frac{\sqrt{6}}{8} \\ 0 & 0 & 0 & \frac{\sqrt{10}}{10} & 0 & 0 & 0 \\ -\frac{3\sqrt{5}}{40} & 0 & 0 & 0 & -\frac{\sqrt{3}}{8} & 0 & 0 \end{bmatrix}$      |
| 170 | symmetry                   | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$  |

*continued ...*

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{G}_4^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{10}}{10} & 0 & 0 & 0 \\ \frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 171 | symmetry                   | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$  |
|     | $\mathbb{G}_4^{(a)}(B, 3)$ | $\begin{bmatrix} -\frac{\sqrt{105}}{280} & 0 & 0 & 0 & -\frac{9\sqrt{7}}{56} & 0 & 0 \\ 0 & -\frac{\sqrt{105}}{280} & 0 & 0 & 0 & \frac{5\sqrt{7}}{56} & 0 \\ 0 & 0 & \frac{\sqrt{70}}{40} & 0 & 0 & 0 & \frac{\sqrt{42}}{56} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{3\sqrt{35}}{40} & 0 & 0 & 0 & -\frac{\sqrt{21}}{56} & 0 & 0 \end{bmatrix}$      |
| 172 | symmetry                   | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$   |
|     | $\mathbb{G}_4^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{42}}{14} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{3\sqrt{105}}{140} & 0 & 0 & 0 & -\frac{\sqrt{7}}{28} & 0 & 0 \\ 0 & -\frac{3\sqrt{105}}{140} & 0 & 0 & 0 & \frac{\sqrt{7}}{28} & 0 \\ 0 & 0 & \frac{\sqrt{210}}{35} & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 173 | symmetry                   | $y$   |
|     | $\mathbb{T}_1^{(a)}(A)$    | $\begin{bmatrix} 0 & \frac{\sqrt{21}i}{14} & 0 & 0 & 0 & \frac{\sqrt{35}i}{70} & 0 \\ -\frac{\sqrt{21}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{35}i}{70} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}i}{14} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{210}i}{70} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{105}i}{35} & 0 \end{bmatrix}$ |
| 174 | symmetry                   | $x$   |

continued ...

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_1^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{21}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{35}i}{70} & 0 & 0 \\ 0 & \frac{\sqrt{21}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{35}i}{70} & 0 \\ 0 & 0 & \frac{\sqrt{14}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{210}i}{70} \\ 0 & 0 & 0 & \frac{\sqrt{14}i}{14} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{105}i}{35} & 0 & 0 \end{bmatrix}$  |
| 175 | symmetry                   | $\begin{matrix} z \\ \mathbb{T}_1^{(a)}(B, 2) \end{matrix} \begin{bmatrix} 0 & 0 & \frac{\sqrt{14}i}{14} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}i}{14} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{2\sqrt{35}i}{35} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{2\sqrt{35}i}{35} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{3\sqrt{70}i}{70} \end{bmatrix}$  |
| 176 | symmetry                   | $\begin{matrix} \sqrt{15}xyz \\ \mathbb{T}_3^{(a)}(A, 1) \end{matrix} \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 \\ -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 177 | symmetry                   | $\begin{matrix} -\frac{y(3x^2-2y^2+3z^2)}{2} \\ \mathbb{T}_3^{(a)}(A, 2) \end{matrix} \begin{bmatrix} 0 & \frac{i}{8} & 0 & 0 & 0 & \frac{11\sqrt{15}i}{120} & 0 \\ -\frac{i}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{120} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}i}{40} \\ 0 & \frac{5\sqrt{3}i}{24} & 0 & 0 & 0 & -\frac{3\sqrt{5}i}{40} & 0 \end{bmatrix}$ |
| 178 | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$   |

continued ...

Table 9

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{T}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{15}i}{24} & 0 & 0 & 0 & -\frac{i}{8} & 0 \\ \frac{\sqrt{15}i}{24} & 0 & 0 & 0 & \frac{3i}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & 0 & \frac{\sqrt{6}i}{24} \\ 0 & \frac{\sqrt{5}i}{8} & 0 & 0 & 0 & \frac{\sqrt{3}i}{8} & 0 \end{bmatrix}$                              |
| 179 | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$  |
|     | $\mathbb{T}_3^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{i}{8} & 0 & 0 & 0 & -\frac{11\sqrt{15}i}{120} & 0 & 0 \\ 0 & \frac{i}{8} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{120} & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}i}{40} \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ -\frac{5\sqrt{3}i}{24} & 0 & 0 & 0 & -\frac{3\sqrt{5}i}{40} & 0 & 0 \end{bmatrix}$ |
| 180 | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$   |
|     | $\mathbb{T}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{30} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{30} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{30}i}{15} \end{bmatrix}$  |
| 181 | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$   |
|     | $\mathbb{T}_3^{(a)}(B, 3)$ | $\begin{bmatrix} \frac{\sqrt{15}i}{24} & 0 & 0 & 0 & -\frac{i}{8} & 0 & 0 \\ 0 & \frac{\sqrt{15}i}{24} & 0 & 0 & 0 & -\frac{3i}{8} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{24} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{5}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{3}i}{8} & 0 & 0 \end{bmatrix}$                            |
| 182 | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$   |

continued ...

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 & 0 \\ 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 183 | symmetry                   | $\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$   |
|     | $\mathbb{T}_5^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 184 | symmetry                   | $\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$   |
|     | $\mathbb{T}_5^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & \frac{\sqrt{30}i}{60} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 \end{bmatrix}$  |
| 185 | symmetry                   | $\frac{y(15x^4-40x^2y^2+30x^2z^2+8y^4-40y^2z^2+15z^4)}{8}$  |
|     | $\mathbb{T}_5^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & \frac{11\sqrt{14}i}{112} & 0 & 0 & 0 & \frac{5\sqrt{210}i}{336} & 0 \\ \frac{5\sqrt{14}i}{56} & 0 & 0 & 0 & \frac{\sqrt{210}i}{168} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{21}i}{42} & 0 & 0 & 0 \\ 0 & 0 & \frac{5\sqrt{21}i}{84} & 0 & 0 & 0 & \frac{\sqrt{35}i}{28} \\ 0 & \frac{\sqrt{42}i}{48} & 0 & 0 & 0 & \frac{3\sqrt{70}i}{112} & 0 \end{bmatrix}$ |
| 186 | symmetry                   | $\frac{3\sqrt{35}y(x^2-2xz-z^2)(x^2+2xz-z^2)}{8}$   |

continued ...

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_5^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & \frac{3\sqrt{10}i}{80} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{16} & 0 \\ \frac{\sqrt{10}i}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 & 0 & 0 & \frac{i}{4} \\ 0 & -\frac{3\sqrt{30}i}{80} & 0 & 0 & 0 & \frac{3\sqrt{2}i}{16} & 0 \end{bmatrix}$                       |
| 187 | symmetry                   | $\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$   |
|     | $\mathbb{T}_5^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & \frac{7\sqrt{30}i}{120} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{8} & 0 \\ \frac{\sqrt{30}i}{15} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & -\frac{\sqrt{10}i}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 \end{bmatrix}$   |
| 188 | symmetry                   | $\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$  |
|     | $\mathbb{T}_5^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{11\sqrt{14}i}{112} & 0 & 0 & 0 & -\frac{5\sqrt{210}i}{336} & 0 & 0 \\ 0 & -\frac{5\sqrt{14}i}{56} & 0 & 0 & 0 & \frac{\sqrt{210}i}{168} & 0 \\ 0 & 0 & -\frac{5\sqrt{21}i}{84} & 0 & 0 & 0 & \frac{\sqrt{35}i}{28} \\ 0 & 0 & 0 & \frac{\sqrt{21}i}{42} & 0 & 0 & 0 \\ -\frac{\sqrt{42}i}{48} & 0 & 0 & 0 & \frac{3\sqrt{70}i}{112} & 0 & 0 \end{bmatrix}$ |
| 189 | symmetry                   | $\frac{z(15x^4+30x^2y^2-40x^2z^2+15y^4-40y^2z^2+8z^4)}{8}$  |
|     | $\mathbb{T}_5^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{21}i}{42} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{21}i}{42} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{105}i}{21} \end{bmatrix}$  |
| 190 | symmetry                   | $\frac{3\sqrt{35}x(y^2-2yz-z^2)(y^2+2yz-z^2)}{8}$   |

continued ...

Table 9

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{T}_5^{(a)}(B, 3)$ | $\begin{bmatrix} \frac{3\sqrt{10}i}{80} & 0 & 0 & 0 & \frac{\sqrt{6}i}{16} & 0 & 0 \\ 0 & -\frac{\sqrt{10}i}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{20} & 0 & 0 & 0 & \frac{i}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ \frac{3\sqrt{30}i}{80} & 0 & 0 & 0 & \frac{3\sqrt{2}i}{16} & 0 & 0 \end{bmatrix}$ |
| 191 | symmetry                   | $\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$   |
|     | $\mathbb{T}_5^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ \frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 192 | symmetry                   | $\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$   |
|     | $\mathbb{T}_5^{(a)}(B, 5)$ | $\begin{bmatrix} -\frac{7\sqrt{30}i}{120} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{8} & 0 & 0 \\ 0 & \frac{\sqrt{30}i}{15} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{10}i}{40} & 0 & 0 & 0 & \frac{\sqrt{6}i}{8} & 0 & 0 \end{bmatrix}$                                  |
| 193 | symmetry                   | $-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$  |
|     | $\mathbb{T}_5^{(a)}(B, 6)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & -\frac{\sqrt{30}i}{60} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 194 | symmetry                   | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |

continued ...

Table 9

| No. | multipole         | matrix  |
|-----|-------------------|---|
|     | $M_2^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{35}i}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{35}i}{14} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{14}i}{14} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 195 | symmetry          | $\frac{\sqrt{3}(x-y)(x+y)}{2}$  |
|     | $M_2^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{7}i}{14} \\ 0 & \frac{\sqrt{70}i}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 \\ -\frac{\sqrt{70}i}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{35}i}{14} & 0 & 0 & 0 \end{bmatrix}$ |
| 196 | symmetry          | $\sqrt{3}xz$  |
|     | $M_2^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{70}i}{28} & 0 & 0 & 0 & \frac{\sqrt{42}i}{28} & 0 \\ \frac{\sqrt{70}i}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{7}i}{7} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{14}i}{14} & 0 \end{bmatrix}$  |
| 197 | symmetry          | $\sqrt{3}yz$  |
|     | $M_2^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{70}i}{28} & 0 & 0 & 0 & \frac{\sqrt{42}i}{28} & 0 & 0 \\ 0 & \frac{\sqrt{70}i}{28} & 0 & 0 & 0 & \frac{\sqrt{42}i}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{7}i}{7} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 \end{bmatrix}$    |
| 198 | symmetry          | $\sqrt{3}xy$  |

continued ...

Table 9

| No. | multipole         | matrix  |
|-----|-------------------|---|
|     | $M_2^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{7}i}{14} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{70}i}{28} & 0 & 0 & 0 & \frac{\sqrt{42}i}{28} & 0 & 0 \\ 0 & -\frac{\sqrt{70}i}{28} & 0 & 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 \\ 0 & 0 & -\frac{\sqrt{35}i}{14} & 0 & 0 & 0 & 0 \end{bmatrix}$     |
| 199 | symmetry          | $\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$  |
|     | $M_4^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 \\ \frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 200 | symmetry          | $-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$  |
|     | $M_4^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{210}i}{35} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{210}i}{210} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{35}i}{20} & 0 & 0 & 0 & -\frac{5\sqrt{21}i}{84} & 0 \\ -\frac{\sqrt{35}i}{20} & 0 & 0 & 0 & \frac{5\sqrt{21}i}{84} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$ |
| 201 | symmetry          | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$  |
|     | $M_4^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{42}i}{14} \\ 0 & \frac{3\sqrt{105}i}{140} & 0 & 0 & 0 & \frac{\sqrt{7}i}{28} & 0 \\ -\frac{3\sqrt{105}i}{140} & 0 & 0 & 0 & \frac{\sqrt{7}i}{28} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{210}i}{35} & 0 & 0 & 0 \end{bmatrix}$  |
| 202 | symmetry          | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$  |

continued ...

Table 9

| No. | multipole         | matrix   |
|-----|-------------------|--|
|     | $M_4^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & \frac{\sqrt{15}i}{40} & 0 & 0 & 0 & -\frac{i}{8} & 0 \\ -\frac{\sqrt{15}i}{40} & 0 & 0 & 0 & \frac{3i}{8} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{10}i}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} \\ 0 & -\frac{3\sqrt{5}i}{40} & 0 & 0 & 0 & \frac{\sqrt{3}i}{8} & 0 \end{bmatrix}$       |
| 203 | symmetry          | $-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$  |
|     | $M_4^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & -\frac{\sqrt{105}i}{280} & 0 & 0 & 0 & \frac{9\sqrt{7}i}{56} & 0 \\ \frac{\sqrt{105}i}{280} & 0 & 0 & 0 & \frac{5\sqrt{7}i}{56} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{70}i}{40} & 0 & 0 & 0 & \frac{\sqrt{42}i}{56} \\ 0 & -\frac{3\sqrt{35}i}{40} & 0 & 0 & 0 & -\frac{\sqrt{21}i}{56} & 0 \end{bmatrix}$ |
| 204 | symmetry          | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$  |
|     | $M_4^{(a)}(B, 1)$ | $\begin{bmatrix} \frac{\sqrt{15}i}{40} & 0 & 0 & 0 & \frac{i}{8} & 0 & 0 \\ 0 & \frac{\sqrt{15}i}{40} & 0 & 0 & 0 & \frac{3i}{8} & 0 \\ 0 & 0 & -\frac{3\sqrt{10}i}{40} & 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ \frac{3\sqrt{5}i}{40} & 0 & 0 & 0 & \frac{\sqrt{3}i}{8} & 0 & 0 \end{bmatrix}$         |
| 205 | symmetry          | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$  |
|     | $M_4^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \\ -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 206 | symmetry          | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$   |

continued ...

Table 9

| No. | multipole         | matrix                                |                            |                           |   |                         |                          |                          |
|-----|-------------------|---------------------------------------|----------------------------|---------------------------|---|-------------------------|--------------------------|--------------------------|
|     | $M_4^{(a)}(B, 3)$ | $\frac{\sqrt{105}i}{280}$             | 0                          | 0                         | 0 | $\frac{9\sqrt{7}i}{56}$ | 0                        | 0                        |
|     |                   | 0                                     | $\frac{\sqrt{105}i}{280}$  | 0                         | 0 | 0                       | $-\frac{5\sqrt{7}i}{56}$ | 0                        |
|     |                   | 0                                     | 0                          | $-\frac{\sqrt{70}i}{40}$  | 0 | 0                       | 0                        | $-\frac{\sqrt{42}i}{56}$ |
|     |                   | 0                                     | 0                          | 0                         | 0 | 0                       | 0                        | 0                        |
|     |                   | $-\frac{3\sqrt{35}i}{40}$             | 0                          | 0                         | 0 | $\frac{\sqrt{21}i}{56}$ | 0                        | 0                        |
| 207 | symmetry          | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$ |                            |                           |   |                         |                          |                          |
|     | $M_4^{(a)}(B, 4)$ | 0                                     | 0                          | 0                         | 0 | 0                       | 0                        | $\frac{\sqrt{42}i}{14}$  |
|     |                   | 0                                     | 0                          | 0                         | 0 | 0                       | 0                        | 0                        |
|     |                   | $\frac{3\sqrt{105}i}{140}$            | 0                          | 0                         | 0 | $\frac{\sqrt{7}i}{28}$  | 0                        | 0                        |
|     |                   | 0                                     | $\frac{3\sqrt{105}i}{140}$ | 0                         | 0 | 0                       | $-\frac{\sqrt{7}i}{28}$  | 0                        |
|     |                   | 0                                     | 0                          | $-\frac{\sqrt{210}i}{35}$ | 0 | 0                       | 0                        | 0                        |

bra: =  $\langle f_2 |, \langle f_1 |, \langle f_{bz} |, \langle f_3 |, \langle f_{3x} |, \langle f_{3y} |, \langle f_{az} |$   
ket: =  $|f_2\rangle, |f_1\rangle, |f_{bz}\rangle, |f_3\rangle, |f_{3x}\rangle, |f_{3y}\rangle, |f_{az}\rangle$

Table 10: (f,f) block.

| No. | multipole      | matrix                                 |                      |                      |                      |                      |                      |                      |
|-----|----------------|--|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| 208 | symmetry       | 1                                      |                      |                      |                      |                      |                      |                      |
|     | $Q_0^{(a)}(A)$ | $\frac{\sqrt{7}}{7}$                   | 0                    | 0                    | 0                    | 0                    | 0                    | 0                    |
|     |                | 0                                      | $\frac{\sqrt{7}}{7}$ | 0                    | 0                    | 0                    | 0                    | 0                    |
|     |                | 0                                      | 0                    | $\frac{\sqrt{7}}{7}$ | 0                    | 0                    | 0                    | 0                    |
|     |                | 0                                      | 0                    | 0                    | $\frac{\sqrt{7}}{7}$ | 0                    | 0                    | 0                    |
|     |                | 0                                      | 0                    | 0                    | 0                    | $\frac{\sqrt{7}}{7}$ | 0                    | 0                    |
|     |                | 0                                      | 0                    | 0                    | 0                    | 0                    | $\frac{\sqrt{7}}{7}$ | 0                    |
|     |                | 0                                      | 0                    | 0                    | 0                    | 0                    | 0                    | $\frac{\sqrt{7}}{7}$ |
| 209 | symmetry       | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$ |                      |                      |                      |                      |                      |                      |

continued ...



Table 10

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{Q}_2^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{5\sqrt{42}}{84} & 0 & 0 & 0 \\ 0 & 0 & \frac{5\sqrt{42}}{84} & 0 & 0 & 0 & 0 \\ 0 & \frac{5\sqrt{42}}{84} & 0 & 0 & 0 & -\frac{\sqrt{70}}{28} & 0 \\ -\frac{5\sqrt{42}}{84} & 0 & 0 & 0 & \frac{\sqrt{70}}{28} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{70}}{28} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{70}}{28} & 0 & 0 & 0 & \frac{\sqrt{42}}{42} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{42} & 0 \end{bmatrix}$  |
| 213 | symmetry                   | $\sqrt{3}xy$ $\mathbb{Q}_2^{(a)}(B, 2)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{105}}{42} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{105}}{42} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{105}}{21} \\ 0 & -\frac{\sqrt{105}}{42} & 0 & 0 & 0 & \frac{\sqrt{7}}{7} & 0 \\ \frac{\sqrt{105}}{42} & 0 & 0 & 0 & \frac{\sqrt{7}}{7} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{105}}{21} & 0 & 0 & 0 \end{bmatrix}$  |
| 214 | symmetry                   | $\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$ $\mathbb{Q}_4^{(a)}(A, 1)$ $\begin{bmatrix} \frac{\sqrt{66}}{44} & 0 & 0 & 0 & -\frac{\sqrt{110}}{44} & 0 & 0 \\ 0 & \frac{\sqrt{66}}{44} & 0 & 0 & 0 & \frac{\sqrt{110}}{44} & 0 \\ 0 & 0 & -\frac{\sqrt{66}}{66} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{66}}{11} & 0 & 0 & 0 \\ -\frac{\sqrt{110}}{44} & 0 & 0 & 0 & \frac{\sqrt{66}}{132} & 0 & 0 \\ 0 & \frac{\sqrt{110}}{44} & 0 & 0 & 0 & \frac{\sqrt{66}}{132} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{66}}{22} \end{bmatrix}$ |
| 215 | symmetry                   | $-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$   |

continued ...

Table 10

| No. | multipole                  | matrix                                       |                            |                           |                          |                            |                            |                           |
|-----|----------------------------|--|----------------------------|---------------------------|--------------------------|----------------------------|----------------------------|---------------------------|
|     | $\mathbb{Q}_4^{(a)}(A, 2)$ | $\frac{\sqrt{2310}}{308}$                    | 0                          | 0                         | 0                        | $\frac{\sqrt{154}}{44}$    | 0                          | 0                         |
|     |                            | 0  | $\frac{\sqrt{2310}}{308}$  | 0                         | 0                        | 0                          | $-\frac{\sqrt{154}}{44}$   | 0                         |
|     |                            | 0  | 0                          | $-\frac{\sqrt{2310}}{66}$ | 0                        | 0                          | 0                          | 0                         |
|     |                            | 0  | 0                          | 0                         | 0                        | 0                          | 0                          | 0                         |
|     |                            | $\frac{\sqrt{154}}{44}$                      | 0                          | 0                         | 0                        | $\frac{\sqrt{2310}}{924}$  | 0                          | 0                         |
|     |                            | 0  | $-\frac{\sqrt{154}}{44}$   | 0                         | 0                        | 0                          | $\frac{\sqrt{2310}}{924}$  | 0                         |
|     |                            | 0  | 0                          | 0                         | 0                        | 0                          | 0                          | $\frac{\sqrt{2310}}{154}$ |
| 216 | symmetry                   | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$ |                            |                           |                          |                            |                            |                           |
|     | $\mathbb{Q}_4^{(a)}(A, 3)$ | 0  | 0                          | 0                         | 0                        | $-\frac{3\sqrt{462}}{154}$ | 0                          | 0                         |
|     |                            | 0  | 0                          | 0                         | 0                        | 0                          | $-\frac{3\sqrt{462}}{154}$ | 0                         |
|     |                            | 0  | 0                          | 0                         | 0                        | 0                          | 0                          | $\frac{\sqrt{462}}{154}$  |
|     |                            | 0  | 0                          | 0                         | 0                        | 0                          | 0                          | 0                         |
|     |                            | $-\frac{3\sqrt{462}}{154}$                   | 0                          | 0                         | 0                        | $-\frac{\sqrt{770}}{77}$   | 0                          | 0                         |
|     |                            | 0  | $-\frac{3\sqrt{462}}{154}$ | 0                         | 0                        | 0                          | $\frac{\sqrt{770}}{77}$    | 0                         |
|     |                            | 0  | 0                          | $\frac{\sqrt{462}}{154}$  | 0                        | 0                          | 0                          | 0                         |
| 217 | symmetry                   | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$           |                            |                           |                          |                            |                            |                           |
|     | $\mathbb{Q}_4^{(a)}(A, 4)$ | 0  | 0                          | $-\frac{\sqrt{165}}{44}$  | 0                        | 0                          | 0                          | $\frac{3\sqrt{11}}{44}$   |
|     |                            | 0  | 0                          | 0                         | $-\frac{\sqrt{165}}{44}$ | 0                          | 0                          | 0                         |
|     |                            | $-\frac{\sqrt{165}}{44}$                     | 0                          | 0                         | 0                        | $\frac{3\sqrt{11}}{44}$    | 0                          | 0                         |
|     |                            | 0  | $-\frac{\sqrt{165}}{44}$   | 0                         | 0                        | 0                          | $\frac{5\sqrt{11}}{44}$    | 0                         |
|     |                            | 0  | 0                          | $\frac{3\sqrt{11}}{44}$   | 0                        | 0                          | 0                          | $\frac{\sqrt{165}}{44}$   |
|     |                            | 0  | 0                          | 0                         | $\frac{5\sqrt{11}}{44}$  | 0                          | 0                          | 0                         |
|     |                            | $\frac{3\sqrt{11}}{44}$                      | 0                          | 0                         | 0                        | $\frac{\sqrt{165}}{44}$    | 0                          | 0                         |
| 218 | symmetry                   | $-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$        |                            |                           |                          |                            |                            |                           |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_4^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{1155}}{308} & 0 & 0 & 0 & \frac{3\sqrt{77}}{44} \\ 0 & 0 & 0 & \frac{\sqrt{1155}}{308} & 0 & 0 & 0 \\ \frac{\sqrt{1155}}{308} & 0 & 0 & 0 & -\frac{\sqrt{77}}{28} & 0 & 0 \\ 0 & \frac{\sqrt{1155}}{308} & 0 & 0 & 0 & \frac{3\sqrt{77}}{308} & 0 \\ 0 & 0 & -\frac{\sqrt{77}}{28} & 0 & 0 & 0 & -\frac{\sqrt{1155}}{308} \\ 0 & 0 & 0 & \frac{3\sqrt{77}}{308} & 0 & 0 & 0 \\ \frac{3\sqrt{77}}{44} & 0 & 0 & 0 & -\frac{\sqrt{1155}}{308} & 0 & 0 \end{bmatrix}$                         |
| 219 | symmetry                   | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$ $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{165}}{44} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{165}}{44} & 0 & 0 & 0 & \frac{3\sqrt{11}}{44} \\ 0 & \frac{\sqrt{165}}{44} & 0 & 0 & 0 & \frac{3\sqrt{11}}{44} & 0 \\ -\frac{\sqrt{165}}{44} & 0 & 0 & 0 & -\frac{5\sqrt{11}}{44} & 0 & 0 \\ 0 & 0 & 0 & -\frac{5\sqrt{11}}{44} & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{11}}{44} & 0 & 0 & 0 & -\frac{\sqrt{165}}{44} \\ 0 & \frac{3\sqrt{11}}{44} & 0 & 0 & 0 & -\frac{\sqrt{165}}{44} & 0 \end{bmatrix}$ |
| 220 | symmetry                   | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{66}}{22} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{66}}{22} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{110}}{22} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{110}}{22} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{66}}{22} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{66}}{22} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 221 | symmetry                   | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$  |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_4^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{1155}}{308} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{1155}}{308} & 0 & 0 & 0 & -\frac{3\sqrt{77}}{44} \\ 0 & \frac{\sqrt{1155}}{308} & 0 & 0 & 0 & \frac{\sqrt{77}}{28} & 0 \\ -\frac{\sqrt{1155}}{308} & 0 & 0 & 0 & \frac{3\sqrt{77}}{308} & 0 & 0 \\ 0 & 0 & 0 & \frac{3\sqrt{77}}{308} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{77}}{28} & 0 & 0 & 0 & -\frac{\sqrt{1155}}{308} \\ 0 & -\frac{3\sqrt{77}}{44} & 0 & 0 & 0 & -\frac{\sqrt{1155}}{308} & 0 \end{bmatrix}$ |
| 222 | symmetry                   | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$   |
|     | $\mathbb{Q}_4^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{3\sqrt{462}}{154} & 0 \\ 0 & 0 & 0 & 0 & \frac{3\sqrt{462}}{154} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{462}}{154} \\ 0 & \frac{3\sqrt{462}}{154} & 0 & 0 & 0 & \frac{\sqrt{770}}{77} & 0 \\ -\frac{3\sqrt{462}}{154} & 0 & 0 & 0 & \frac{\sqrt{770}}{77} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{462}}{154} & 0 & 0 & 0 \end{bmatrix}$   |
| 223 | symmetry                   | $\frac{\sqrt{2}(2x^6-15x^4y^2-15x^4z^2-15x^2y^4+180x^2y^2z^2-15x^2z^4+2y^6-15y^4z^2-15y^2z^4+2z^6)}{8}$   |
|     | $\mathbb{Q}_6^{(a)}(A, 1)$ | $\begin{bmatrix} -\frac{\sqrt{462}}{1848} & 0 & 0 & 0 & -\frac{\sqrt{770}}{88} & 0 & 0 \\ 0 & -\frac{\sqrt{462}}{1848} & 0 & 0 & 0 & \frac{\sqrt{770}}{88} & 0 \\ 0 & 0 & -\frac{3\sqrt{462}}{154} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{2\sqrt{462}}{77} & 0 & 0 & 0 \\ -\frac{\sqrt{770}}{88} & 0 & 0 & 0 & -\frac{5\sqrt{462}}{616} & 0 & 0 \\ 0 & \frac{\sqrt{770}}{88} & 0 & 0 & 0 & -\frac{5\sqrt{462}}{616} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{5\sqrt{462}}{462} \end{bmatrix}$                   |
| 224 | symmetry                   | $-\frac{\sqrt{2310}(x-y)(x+y)(x-z)(x+z)(y-z)(y+z)}{8}$  |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_6^{(a)}(A, 2)$ | $\begin{bmatrix} \frac{\sqrt{10}}{8} & 0 & 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 \\ 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & 0 & \frac{\sqrt{6}}{24} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}}{24} & 0 & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 \\ 0 & \frac{\sqrt{6}}{24} & 0 & 0 & 0 & \frac{\sqrt{10}}{8} & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$                         |
| 225 | symmetry                   | $-\frac{\sqrt{14}(x^6 - 15x^4z^2 + 15x^2z^4 + y^6 - 15y^4z^2 + 15y^2z^4 - 2z^6)}{8}$  |
|     | $\mathbb{Q}_6^{(a)}(A, 3)$ | $\begin{bmatrix} -\frac{\sqrt{66}}{264} & 0 & 0 & 0 & \frac{\sqrt{110}}{88} & 0 & 0 \\ 0 & -\frac{\sqrt{66}}{264} & 0 & 0 & 0 & -\frac{\sqrt{110}}{88} & 0 \\ 0 & 0 & \frac{\sqrt{66}}{22} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{110}}{88} & 0 & 0 & 0 & -\frac{5\sqrt{66}}{88} & 0 & 0 \\ 0 & -\frac{\sqrt{110}}{88} & 0 & 0 & 0 & -\frac{5\sqrt{66}}{88} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{5\sqrt{66}}{66} \end{bmatrix}$  |
| 226 | symmetry                   | $\frac{\sqrt{42}(x-y)(x+y)(x^4 - 9x^2y^2 - 5x^2z^2 + y^4 - 5y^2z^2 + 5z^4)}{8}$   |
|     | $\mathbb{Q}_6^{(a)}(A, 4)$ | $\begin{bmatrix} \frac{\sqrt{22}}{8} & 0 & 0 & 0 & -\frac{\sqrt{330}}{264} & 0 & 0 \\ 0 & -\frac{\sqrt{22}}{8} & 0 & 0 & 0 & -\frac{\sqrt{330}}{264} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{330}}{66} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{330}}{264} & 0 & 0 & 0 & \frac{5\sqrt{22}}{88} & 0 & 0 \\ 0 & -\frac{\sqrt{330}}{264} & 0 & 0 & 0 & -\frac{5\sqrt{22}}{88} & 0 \\ 0 & 0 & \frac{\sqrt{330}}{66} & 0 & 0 & 0 & 0 \end{bmatrix}$ |
| 227 | symmetry                   | $\frac{3\sqrt{7}xz(x-z)(x+z)(x^2 - 10y^2 + z^2)}{4}$  |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_6^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & 0 & \frac{5\sqrt{22}}{88} & 0 & 0 & 0 & -\frac{\sqrt{330}}{88} \\ 0 & 0 & 0 & -\frac{3\sqrt{22}}{44} & 0 & 0 & 0 \\ \frac{5\sqrt{22}}{88} & 0 & 0 & 0 & -\frac{\sqrt{330}}{88} & 0 & 0 \\ 0 & -\frac{3\sqrt{22}}{44} & 0 & 0 & 0 & \frac{\sqrt{330}}{44} & 0 \\ 0 & 0 & -\frac{\sqrt{330}}{88} & 0 & 0 & 0 & -\frac{5\sqrt{22}}{88} \\ 0 & 0 & 0 & \frac{\sqrt{330}}{44} & 0 & 0 & 0 \\ -\frac{\sqrt{330}}{88} & 0 & 0 & 0 & -\frac{5\sqrt{22}}{88} & 0 & 0 \end{bmatrix}$     |
| 228 | symmetry                   | $\frac{\sqrt{462}xz(x^2-3z^2)(3x^2-z^2)}{16}$   |
|     | $\mathbb{Q}_6^{(a)}(A, 6)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{16} & 0 & 0 & 0 & -\frac{\sqrt{5}}{16} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{3}}{16} & 0 & 0 & 0 & -\frac{3\sqrt{5}}{16} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{3\sqrt{5}}{16} & 0 & 0 & 0 & \frac{5\sqrt{3}}{16} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{5}}{16} & 0 & 0 & 0 & \frac{5\sqrt{3}}{16} & 0 & 0 \end{bmatrix}$   |
| 229 | symmetry                   | $\frac{\sqrt{210}xz(x^4-16x^2y^2+2x^2z^2+16y^4-16y^2z^2+z^4)}{16}$  |
|     | $\mathbb{Q}_6^{(a)}(A, 7)$ | $\begin{bmatrix} 0 & 0 & \frac{17\sqrt{165}}{528} & 0 & 0 & 0 & \frac{9\sqrt{11}}{176} \\ 0 & 0 & 0 & -\frac{\sqrt{165}}{33} & 0 & 0 & 0 \\ \frac{17\sqrt{165}}{528} & 0 & 0 & 0 & \frac{\sqrt{11}}{16} & 0 & 0 \\ 0 & -\frac{\sqrt{165}}{33} & 0 & 0 & 0 & -\frac{\sqrt{11}}{11} & 0 \\ 0 & 0 & \frac{\sqrt{11}}{16} & 0 & 0 & 0 & \frac{5\sqrt{165}}{528} \\ 0 & 0 & 0 & -\frac{\sqrt{11}}{11} & 0 & 0 & 0 \\ \frac{9\sqrt{11}}{176} & 0 & 0 & 0 & \frac{5\sqrt{165}}{528} & 0 & 0 \end{bmatrix}$ |
| 230 | symmetry                   | $\frac{3\sqrt{7}yz(y-z)(y+z)(10x^2-y^2-z^2)}{4}$  |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_6^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{3\sqrt{22}}{44} & 0 & 0 & 0 \\ 0 & 0 & -\frac{5\sqrt{22}}{88} & 0 & 0 & 0 & -\frac{\sqrt{330}}{88} \\ 0 & -\frac{5\sqrt{22}}{88} & 0 & 0 & 0 & -\frac{\sqrt{330}}{88} & 0 \\ -\frac{3\sqrt{22}}{44} & 0 & 0 & 0 & -\frac{\sqrt{330}}{44} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{330}}{44} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{330}}{88} & 0 & 0 & 0 & \frac{5\sqrt{22}}{88} \\ 0 & -\frac{\sqrt{330}}{88} & 0 & 0 & 0 & \frac{5\sqrt{22}}{88} & 0 \end{bmatrix}$ |
| 231 | symmetry                   | $-\frac{3\sqrt{7}xy(x-y)(x+y)(x^2+y^2-10z^2)}{4}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{33}}{11} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{33}}{11} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{55}}{22} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
|     | $\mathbb{Q}_6^{(a)}(B, 2)$ |   |
| 232 | symmetry                   | $\frac{\sqrt{462}yz(y^2-3z^2)(3y^2-z^2)}{16}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{16} & 0 & 0 & 0 & \frac{\sqrt{5}}{16} \\ 0 & \frac{\sqrt{3}}{16} & 0 & 0 & 0 & \frac{3\sqrt{5}}{16} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{5}}{16} & 0 & 0 & 0 & \frac{5\sqrt{3}}{16} \\ 0 & \frac{\sqrt{5}}{16} & 0 & 0 & 0 & \frac{5\sqrt{3}}{16} & 0 \end{bmatrix}$   |
|     | $\mathbb{Q}_6^{(a)}(B, 3)$ |   |
| 233 | symmetry                   | $\frac{\sqrt{462}xy(x^2-3y^2)(3x^2-y^2)}{16}$   |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{Q}_6^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 234 | symmetry                   | $\frac{\sqrt{210}yz(16x^4-16x^2y^2-16x^2z^2+y^4+2y^2z^2+z^4)}{16}$  |
|     | $\mathbb{Q}_6^{(a)}(B, 5)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{165}}{33} & 0 & 0 & 0 \\ 0 & 0 & \frac{17\sqrt{165}}{528} & 0 & 0 & 0 & -\frac{9\sqrt{11}}{176} \\ 0 & \frac{17\sqrt{165}}{528} & 0 & 0 & 0 & -\frac{\sqrt{11}}{16} & 0 \\ \frac{\sqrt{165}}{33} & 0 & 0 & 0 & -\frac{\sqrt{11}}{11} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{11}}{11} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{11}}{16} & 0 & 0 & 0 & \frac{5\sqrt{165}}{528} \\ 0 & -\frac{9\sqrt{11}}{176} & 0 & 0 & 0 & \frac{5\sqrt{165}}{528} & 0 \end{bmatrix}$ |
| 235 | symmetry                   | $\frac{\sqrt{210}xy(x^4+2x^2y^2-16x^2z^2+y^4-16y^2z^2+16z^4)}{16}$  |
|     | $\mathbb{Q}_6^{(a)}(B, 6)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{66}}{66} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{66}}{66} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{2\sqrt{66}}{33} \\ 0 & -\frac{\sqrt{66}}{66} & 0 & 0 & 0 & \frac{\sqrt{110}}{22} & 0 \\ \frac{\sqrt{66}}{66} & 0 & 0 & 0 & \frac{\sqrt{110}}{22} & 0 & 0 \\ 0 & 0 & 0 & \frac{2\sqrt{66}}{33} & 0 & 0 & 0 \end{bmatrix}$   |
| 236 | symmetry                   | $y$   |

*continued ...*

Table 10

| No. | multipole         | matrix                   |                          |                          |                          |                          |                         |                          |
|-----|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|--------------------------|
|     | $M_1^{(a)}(A)$    | 0                        | 0                        | $\frac{\sqrt{42i}}{28}$  | 0                        | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | 0                        | $\frac{\sqrt{42i}}{28}$  | 0                        | 0                       | 0                        |
|     |                   | $-\frac{\sqrt{42i}}{28}$ | 0                        | 0                        | 0                        | $\frac{\sqrt{70i}}{28}$  | 0                       | 0                        |
|     |                   | 0                        | $-\frac{\sqrt{42i}}{28}$ | 0                        | 0                        | 0                        | $\frac{\sqrt{70i}}{28}$ | 0                        |
|     |                   | 0                        | 0                        | $-\frac{\sqrt{70i}}{28}$ | 0                        | 0                        | 0                       | $\frac{\sqrt{42i}}{14}$  |
|     |                   | 0                        | 0                        | 0                        | $-\frac{\sqrt{70i}}{28}$ | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | 0                        | 0                        | $-\frac{\sqrt{42i}}{14}$ | 0                       | 0                        |
| 237 | symmetry          | $x$                      |                          |                          |                          |                          |                         |                          |
|     | $M_1^{(a)}(B, 1)$ | 0                        | 0                        | 0                        | $\frac{\sqrt{42i}}{28}$  | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | $-\frac{\sqrt{42i}}{28}$ | 0                        | 0                        | 0                       | 0                        |
|     |                   | 0                        | $\frac{\sqrt{42i}}{28}$  | 0                        | 0                        | 0                        | $\frac{\sqrt{70i}}{28}$ | 0                        |
|     |                   | $-\frac{\sqrt{42i}}{28}$ | 0                        | 0                        | 0                        | $-\frac{\sqrt{70i}}{28}$ | 0                       | 0                        |
|     |                   | 0                        | 0                        | 0                        | $\frac{\sqrt{70i}}{28}$  | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | $-\frac{\sqrt{70i}}{28}$ | 0                        | 0                        | 0                       | $-\frac{\sqrt{42i}}{14}$ |
|     |                   | 0                        | 0                        | 0                        | 0                        | 0                        | $\frac{\sqrt{42i}}{14}$ | 0                        |
| 238 | symmetry          | $z$                      |                          |                          |                          |                          |                         |                          |
|     | $M_1^{(a)}(B, 2)$ | 0                        | $-\frac{3\sqrt{7i}}{14}$ | 0                        | 0                        | 0                        | 0                       | 0                        |
|     |                   | $\frac{3\sqrt{7i}}{14}$  | 0                        | 0                        | 0                        | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | 0                        | $-\frac{\sqrt{7i}}{7}$   | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | $\frac{\sqrt{7i}}{7}$    | 0                        | 0                        | 0                       | 0                        |
|     |                   | 0                        | 0                        | 0                        | 0                        | 0                        | $-\frac{\sqrt{7i}}{14}$ | 0                        |
|     |                   | 0                        | 0                        | 0                        | 0                        | $\frac{\sqrt{7i}}{14}$   | 0                       | 0                        |
|     |                   | 0                        | 0                        | 0                        | 0                        | 0                        | 0                       | 0                        |
| 239 | symmetry          | $\sqrt{15}xyz$           |                          |                          |                          |                          |                         |                          |

*continued ...*

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{M}_3^{(a)}(A, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 240 | symmetry                   | $-\frac{y(3x^2-2y^2+3z^2)}{2}$  |
|     | $\mathbb{M}_3^{(a)}(A, 2)$ | $\begin{bmatrix} 0 & 0 & \frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} \\ 0 & 0 & 0 & \frac{i}{4} & 0 & 0 & 0 \\ -\frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 \\ 0 & -\frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 \\ -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 & 0 \end{bmatrix}$ |
| 241 | symmetry                   | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$   |
|     | $\mathbb{M}_3^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 \\ \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} & 0 & 0 \\ 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 \\ 0 & 0 & \frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} \\ 0 & 0 & 0 & -\frac{i}{4} & 0 & 0 & 0 \\ -\frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 \end{bmatrix}$ |
| 242 | symmetry                   | $\frac{x(2x^2-3y^2-3z^2)}{2}$   |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{M}_3^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{i}{4} & 0 & 0 & 0 \\ 0 & 0 & -\frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} \\ 0 & \frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 \\ -\frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} \\ 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} & 0 \end{bmatrix}$ |
| 243 | symmetry                   | $-\frac{z(3x^2+3y^2-2z^2)}{2}$  |
|     | $\mathbb{M}_3^{(a)}(B, 2)$ | $\begin{bmatrix} 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
| 244 | symmetry                   | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
|     | $\mathbb{M}_3^{(a)}(B, 3)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & -\frac{i}{4} \\ 0 & \frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 \\ -\frac{\sqrt{15}i}{12} & 0 & 0 & 0 & \frac{i}{4} & 0 & 0 \\ 0 & 0 & 0 & -\frac{i}{4} & 0 & 0 & 0 \\ 0 & 0 & -\frac{i}{4} & 0 & 0 & 0 & \frac{\sqrt{15}i}{12} \\ 0 & \frac{i}{4} & 0 & 0 & 0 & -\frac{\sqrt{15}i}{12} & 0 \end{bmatrix}$ |
| 245 | symmetry                   | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |

continued ...

Table 10

| No. | multipole                  | matrix   |
|-----|----------------------------|--|
|     | $\mathbb{M}_3^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \end{bmatrix}$   |
| 246 | symmetry                   | $\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$  |
|     | $\mathbb{M}_5^{(a)}(A, 1)$ |  |
| 247 | symmetry                   | $\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{3} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 \end{bmatrix}$ |
|     | $\mathbb{M}_5^{(a)}(A, 2)$ |  |
| 248 | symmetry                   | $\frac{y(15x^4-40x^2y^2+30x^2z^2+8y^4-40y^2z^2+15z^4)}{8}$   |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{M}_5^{(a)}(A, 3)$ | $\begin{bmatrix} 0 & 0 & \frac{13\sqrt{14}i}{112} & 0 & 0 & 0 & \frac{\sqrt{210}i}{48} \\ 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & 0 \\ -\frac{13\sqrt{14}i}{112} & 0 & 0 & 0 & -\frac{\sqrt{210}i}{336} & 0 & 0 \\ 0 & \frac{\sqrt{14}i}{14} & 0 & 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 \\ 0 & 0 & \frac{\sqrt{210}i}{336} & 0 & 0 & 0 & \frac{5\sqrt{14}i}{112} \\ 0 & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 \\ -\frac{\sqrt{210}i}{48} & 0 & 0 & 0 & -\frac{5\sqrt{14}i}{112} & 0 & 0 \end{bmatrix}$ |
| 249 | symmetry                   | $\frac{3\sqrt{35}y(x^2-2xz-z^2)(x^2+2xz-z^2)}{8}$   |
|     | $\mathbb{M}_5^{(a)}(A, 4)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{10}i}{16} & 0 & 0 & 0 & -\frac{3\sqrt{6}i}{16} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{10}i}{16} & 0 & 0 & 0 & -\frac{3\sqrt{6}i}{16} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{6}i}{16} & 0 & 0 & 0 & \frac{\sqrt{10}i}{16} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{3\sqrt{6}i}{16} & 0 & 0 & 0 & -\frac{\sqrt{10}i}{16} & 0 & 0 \end{bmatrix}$   |
| 250 | symmetry                   | $\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$   |
|     | $\mathbb{M}_5^{(a)}(A, 5)$ | $\begin{bmatrix} 0 & 0 & \frac{\sqrt{30}i}{24} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{8} \\ 0 & 0 & 0 & -\frac{\sqrt{30}i}{12} & 0 & 0 & 0 \\ -\frac{\sqrt{30}i}{24} & 0 & 0 & 0 & \frac{\sqrt{2}i}{8} & 0 & 0 \\ 0 & \frac{\sqrt{30}i}{12} & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{30}i}{24} \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{8} & 0 & 0 & 0 & \frac{\sqrt{30}i}{24} & 0 & 0 \end{bmatrix}$                               |
| 251 | symmetry                   | $\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$  |

continued ...

Table 10

| No. | multipole                  | matrix  |
|-----|----------------------------|---|
|     | $\mathbb{M}_5^{(a)}(B, 1)$ | $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & 0 \\ 0 & 0 & -\frac{13\sqrt{14}i}{112} & 0 & 0 & 0 & \frac{\sqrt{210}i}{48} \\ 0 & \frac{13\sqrt{14}i}{112} & 0 & 0 & 0 & -\frac{\sqrt{210}i}{336} & 0 \\ \frac{\sqrt{14}i}{14} & 0 & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{210}i}{336} & 0 & 0 & 0 & -\frac{5\sqrt{14}i}{112} \\ 0 & -\frac{\sqrt{210}i}{48} & 0 & 0 & 0 & \frac{5\sqrt{14}i}{112} & 0 \end{bmatrix}$ |
| 252 | symmetry                   | $\frac{z(15x^4+30x^2y^2-40x^2z^2+15y^4-40y^2z^2+8z^4)}{8}$ $\begin{bmatrix} 0 & -\frac{\sqrt{21}i}{42} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{21}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{2\sqrt{21}i}{21} & 0 & 0 & 0 \\ 0 & 0 & -\frac{2\sqrt{21}i}{21} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{5\sqrt{21}i}{42} & 0 \\ 0 & 0 & 0 & 0 & \frac{5\sqrt{21}i}{42} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 253 | symmetry                   | $\frac{3\sqrt{35}x(y^2-2yz-z^2)(y^2+2yz-z^2)}{8}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{16} & 0 & 0 & 0 & -\frac{3\sqrt{6}i}{16} \\ 0 & \frac{\sqrt{10}i}{16} & 0 & 0 & 0 & -\frac{3\sqrt{6}i}{16} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{6}i}{16} & 0 & 0 & 0 & -\frac{\sqrt{10}i}{16} \\ 0 & \frac{3\sqrt{6}i}{16} & 0 & 0 & 0 & \frac{\sqrt{10}i}{16} & 0 \end{bmatrix}$   |
| 254 | symmetry                   | $\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$   |

continued ...

Table 10

| No. | multipole         | matrix  |
|-----|-------------------|---|
|     | $M_5^{(a)}(B, 4)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$   |
| 255 | symmetry          | $\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$   |
|     | $M_5^{(a)}(B, 5)$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{30}i}{12} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{30}i}{24} & 0 & 0 & 0 & \frac{\sqrt{2}i}{8} \\ 0 & -\frac{\sqrt{30}i}{24} & 0 & 0 & 0 & -\frac{\sqrt{2}i}{8} & 0 \\ -\frac{\sqrt{30}i}{12} & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}i}{8} & 0 & 0 & 0 & -\frac{\sqrt{30}i}{24} \\ 0 & -\frac{\sqrt{2}i}{8} & 0 & 0 & 0 & \frac{\sqrt{30}i}{24} & 0 \end{bmatrix}$ |
| 256 | symmetry          | $-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$  |
|     | $M_5^{(a)}(B, 6)$ | $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{3} \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{3} & 0 & 0 & 0 \end{bmatrix}$  |