

SG No. 3 C_2^1 $P2$ (b-axis setting) [monoclinic]

* plus set: + [0, 0, 0]

* Wyckoff site: 1a, site symmetry: 2

Table 1: Wyckoff bond: 1a@1a

No.	vector	center	mapping
1	[X, 0, Z]	[0, y, 0]	[1, -2]

Table 2: Wyckoff bond: 1b@1a

No.	vector	center	mapping
1	[0, Y, 0]	[0, y, 0]	[1, 2]

Table 3: Wyckoff bond: 2c@1a

No.	vector	center	mapping
1	[X, Y, Z]	[0, y, 0]	[1]
2	[-X, Y, -Z]	[0, y, 0]	[2]

* Wyckoff site: 1b, site symmetry: 2

Table 4: Wyckoff bond: 1a@1b

No.	vector	center	mapping
1	[X, 0, Z]	[0, y, $\frac{1}{2}$]	[1, -2]

Table 5: Wyckoff bond: 1b@1b

No.	vector	center	mapping
1	[0, Y, 0]	[0, y, $\frac{1}{2}$]	[1, 2]

Table 6: Wyckoff bond: 2c@1b

No.	vector	center	mapping
1	[X, Y, Z]	[0, y, $\frac{1}{2}$]	[1]
2	[-X, Y, -Z]	[0, y, $\frac{1}{2}$]	[2]

* Wyckoff site: 1c, site symmetry: 2

Table 7: Wyckoff bond: 1a@1c

No.	vector	center	mapping
1	$[X, 0, Z]$	$[\frac{1}{2}, y, 0]$	$[1, -2]$

Table 8: Wyckoff bond: 1b@1c

No.	vector	center	mapping
1	$[0, Y, 0]$	$[\frac{1}{2}, y, 0]$	$[1, 2]$

Table 9: Wyckoff bond: 2c@1c

No.	vector	center	mapping
1	$[X, Y, Z]$	$[\frac{1}{2}, y, 0]$	$[1]$
2	$[-X, Y, -Z]$	$[\frac{1}{2}, y, 0]$	$[2]$

* Wyckoff site: 1d, site symmetry: 2

Table 10: Wyckoff bond: 1a@1d

No.	vector	center	mapping
1	$[X, 0, Z]$	$[\frac{1}{2}, y, \frac{1}{2}]$	$[1, -2]$

Table 11: Wyckoff bond: 1b@1d

No.	vector	center	mapping
1	$[0, Y, 0]$	$[\frac{1}{2}, y, \frac{1}{2}]$	$[1, 2]$

Table 12: Wyckoff bond: 2c@1d

No.	vector	center	mapping
1	$[X, Y, Z]$	$[\frac{1}{2}, y, \frac{1}{2}]$	$[1]$
2	$[-X, Y, -Z]$	$[\frac{1}{2}, y, \frac{1}{2}]$	$[2]$

* Wyckoff site: 2e, site symmetry: 1

Table 13: Wyckoff bond: 2a@2e

No.	vector	center	mapping
1	$[X, Y, Z]$	$[x, y, z]$	[1]
2	$[-X, Y, -Z]$	$[-x, y, -z]$	[2]