

PG No. 19 C_{3v} $3m$ (3m1 setting) [trigonal] (axial, internal polar quadrupole)

* Harmonics for rank 0

* Harmonics for rank 1

$$\vec{G}_1^{(2,1)}[q](A_2)$$

** symmetry

$$z$$

** expression

$$\frac{\sqrt{30}Q_vxy}{5} - \frac{\sqrt{30}Q_{xy}(x-y)(x+y)}{10} + \frac{\sqrt{30}Q_{xzyz}}{10} - \frac{\sqrt{30}Q_{yzxz}}{10}$$

$$\vec{G}_{1,1}^{(2,1)}[q](E), \vec{G}_{1,2}^{(2,1)}[q](E)$$

** symmetry

$$-y$$

$$x$$

** expression

$$-\frac{3\sqrt{10}Q_{uxz}}{10} + \frac{\sqrt{30}Q_{vzx}}{10} + \frac{\sqrt{30}Q_{xyyz}}{10} - \frac{\sqrt{30}Q_{xz}(x-z)(x+z)}{10} - \frac{\sqrt{30}Q_{yzxy}}{10}$$

$$-\frac{3\sqrt{10}Q_{uyz}}{10} - \frac{\sqrt{30}Q_{vyz}}{10} + \frac{\sqrt{30}Q_{xyxz}}{10} - \frac{\sqrt{30}Q_{xzyx}}{10} - \frac{\sqrt{30}Q_{yz}(y-z)(y+z)}{10}$$

* Harmonics for rank 2

$$\vec{G}_2^{(2,-1)}[q](A_2)$$

** symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

** expression

$$\frac{\sqrt{2}Q_{xzy}}{2} - \frac{\sqrt{2}Q_{yzx}}{2}$$

$$\vec{G}_2^{(2,1)}[q](A_2)$$

** symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

** expression

$$\frac{5\sqrt{42}Q_vxyz}{14} - \frac{5\sqrt{42}Q_{xyz}(x-y)(x+y)}{28} - \frac{\sqrt{42}Q_{xzy}(x^2+y^2-4z^2)}{28} + \frac{\sqrt{42}Q_{yzx}(x^2+y^2-4z^2)}{28}$$

$$\vec{G}_{2,1}^{(2,-1)}[q](E, 1), \vec{G}_{2,2}^{(2,-1)}[q](E, 1)$$

** symmetry

$$\sqrt{3}yz$$

$$-\sqrt{3}xz$$

** expression

$$\frac{\sqrt{2}Q_{ux}}{2} + \frac{\sqrt{6}Q_{vx}}{6} + \frac{\sqrt{6}Q_{xyy}}{6} - \frac{\sqrt{6}Q_{xzz}}{6}$$

$$\frac{\sqrt{2}Q_{uy}}{2} - \frac{\sqrt{6}Q_{vy}}{6} + \frac{\sqrt{6}Q_{xyx}}{6} - \frac{\sqrt{6}Q_{yzz}}{6}$$

$$\vec{G}_{2,1}^{(2,-1)}[q](E, 2), \vec{G}_{2,2}^{(2,-1)}[q](E, 2)$$

** symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

$$-\sqrt{3}xy$$

** expression

$$\frac{\sqrt{6}Q_{xyz}}{3} - \frac{\sqrt{6}Q_{xzy}}{6} - \frac{\sqrt{6}Q_{yzx}}{6}$$

$$\frac{\sqrt{6}Q_v z}{3} - \frac{\sqrt{6}Q_{xz}x}{6} + \frac{\sqrt{6}Q_{yz}y}{6}$$

$$\vec{\mathbb{G}}_{2,1}^{(2,1)}[q](E, 1), \vec{\mathbb{G}}_{2,2}^{(2,1)}[q](E, 1)$$

** symmetry

$$\sqrt{3}yz$$

$$-\sqrt{3}xz$$

** expression

$$\begin{aligned} & -\frac{\sqrt{42}Q_{ux}(x^2+y^2-4z^2)}{28} - \frac{\sqrt{14}Q_{vx}(x^2-9y^2+6z^2)}{28} - \frac{\sqrt{14}Q_{xyy}(3x^2-2y^2+3z^2)}{14} + \frac{\sqrt{14}Q_{xzz}(3x^2+3y^2-2z^2)}{14} \\ & -\frac{\sqrt{42}Q_{uy}(x^2+y^2-4z^2)}{28} - \frac{\sqrt{14}Q_{vy}(9x^2-y^2-6z^2)}{28} + \frac{\sqrt{14}Q_{xyx}(2x^2-3y^2-3z^2)}{14} + \frac{\sqrt{14}Q_{yzz}(3x^2+3y^2-2z^2)}{14} \end{aligned}$$

$$\vec{\mathbb{G}}_{2,1}^{(2,1)}[q](E, 2), \vec{\mathbb{G}}_{2,2}^{(2,1)}[q](E, 2)$$

** symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

$$-\sqrt{3}xy$$

** expression

$$\begin{aligned} & -\frac{5\sqrt{42}Q_{uxyz}}{14} + \frac{\sqrt{14}Q_{xyz}(3x^2+3y^2-2z^2)}{28} - \frac{\sqrt{14}Q_{xzy}(9x^2-y^2-6z^2)}{28} + \frac{\sqrt{14}Q_{yzx}(x^2-9y^2+6z^2)}{28} \\ & -\frac{5\sqrt{42}Q_{uz}(x-y)(x+y)}{28} + \frac{\sqrt{14}Q_{vz}(3x^2+3y^2-2z^2)}{28} - \frac{\sqrt{14}Q_{xzx}(2x^2-3y^2-3z^2)}{14} - \frac{\sqrt{14}Q_{yzy}(3x^2-2y^2+3z^2)}{14} \end{aligned}$$

* Harmonics for rank 3

$$\vec{\mathbb{G}}_3^{(2,-1)}[q](A_1)$$

** symmetry

$$\frac{\sqrt{10}x(x^2-3y^2)}{4}$$

** expression

$$\frac{\sqrt{3}Q_v yz}{2} + \frac{\sqrt{3}Q_{xyxz}}{2} - \frac{\sqrt{3}Q_{xzyx}}{2} - \frac{\sqrt{3}Q_{yz}(x-y)(x+y)}{4}$$

$$\vec{\mathbb{G}}_3^{(2,1)}[q](A_1)$$

** symmetry

$$\frac{\sqrt{10}x(x^2-3y^2)}{4}$$

** expression

$$\begin{aligned} & -\frac{7\sqrt{2}Q_{uyz}(3x^2-y^2)}{8} + \frac{\sqrt{6}Q_{vyz}(3x^2+3y^2-4z^2)}{24} + \frac{\sqrt{6}Q_{xyxz}(3x^2+3y^2-4z^2)}{24} \\ & -\frac{\sqrt{6}Q_{xzyx}(17x^2-11y^2-18z^2)}{24} + \frac{\sqrt{6}Q_{yz}(2x^4-21x^2y^2+9x^2z^2+5y^4-9y^2z^2)}{24} \end{aligned}$$

$$\vec{\mathbb{G}}_3^{(2,-1)}[q](A_2, 1)$$

** symmetry

$$\frac{z(3x^2+3y^2-2z^2)}{2}$$

** expression

$$-\frac{\sqrt{30}Q_v xy}{10} + \frac{\sqrt{30}Q_{xy}(x-y)(x+y)}{20} + \frac{\sqrt{30}Q_{xzyz}}{5} - \frac{\sqrt{30}Q_{yzxz}}{5}$$

$$\vec{\mathbb{G}}_3^{(2,-1)}[q](A_2, 2)$$

** symmetry

$$\frac{\sqrt{10}y(3x^2-y^2)}{4}$$

** expression

$$-\frac{\sqrt{3}Q_vxz}{2} + \frac{\sqrt{3}Q_{xy}yz}{2} + \frac{\sqrt{3}Q_{xz}(x-y)(x+y)}{4} - \frac{\sqrt{3}Q_{yz}xy}{2}$$

$$\vec{\mathbb{G}}_3^{(2,1)}[q](A_2, 1)$$

** symmetry

$$-\frac{z(3x^2 + 3y^2 - 2z^2)}{2}$$

** expression

$$-\frac{\sqrt{15}Q_vxy(x^2 + y^2 - 6z^2)}{6} + \frac{\sqrt{15}Q_{xy}(x-y)(x+y)(x^2 + y^2 - 6z^2)}{12} - \frac{\sqrt{15}Q_{xz}yz(3x^2 + 3y^2 - 4z^2)}{12} + \frac{\sqrt{15}Q_{yz}xz(3x^2 + 3y^2 - 4z^2)}{12}$$

$$\vec{\mathbb{G}}_3^{(2,1)}[q](A_2, 2)$$

** symmetry

$$\frac{\sqrt{10}y(3x^2 - y^2)}{4}$$

** expression

$$\frac{7\sqrt{2}Q_uxz(x^2 - 3y^2)}{8} - \frac{\sqrt{6}Q_vxz(3x^2 + 3y^2 - 4z^2)}{24} + \frac{\sqrt{6}Q_{xy}yz(3x^2 + 3y^2 - 4z^2)}{24} + \frac{\sqrt{6}Q_{xz}(5x^4 - 21x^2y^2 - 9x^2z^2 + 2y^4 + 9y^2z^2)}{24} + \frac{\sqrt{6}Q_{yz}xy(11x^2 - 17y^2 + 18z^2)}{24}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,-1)}[q](E, 1), \vec{\mathbb{G}}_{3,2}^{(2,-1)}[q](E, 1)$$

** symmetry

$$\frac{\sqrt{6}y(x^2 + y^2 - 4z^2)}{4}$$

$$-\frac{\sqrt{6}x(x^2 + y^2 - 4z^2)}{4}$$

** expression

$$-\frac{\sqrt{15}Q_uxz}{5} - \frac{3\sqrt{5}Q_vxz}{10} - \frac{3\sqrt{5}Q_{xy}yz}{10} + \frac{\sqrt{5}Q_{xz}(x^2 - 5y^2 + 4z^2)}{20} + \frac{3\sqrt{5}Q_{yz}xy}{10} - \frac{\sqrt{15}Q_{u}yz}{5} + \frac{3\sqrt{5}Q_vyz}{10} - \frac{3\sqrt{5}Q_{xy}xz}{10} + \frac{3\sqrt{5}Q_{xz}xy}{10} - \frac{\sqrt{5}Q_{yz}(5x^2 - y^2 - 4z^2)}{20}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,-1)}[q](E, 2), \vec{\mathbb{G}}_{3,2}^{(2,-1)}[q](E, 2)$$

** symmetry

$$-\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

$$\sqrt{15}xyz$$

** expression

$$\frac{\sqrt{6}Q_uxy}{2} + \frac{\sqrt{2}Q_{xy}(x^2 + y^2 - 2z^2)}{4}$$

$$\frac{\sqrt{6}Q_u(x-y)(x+y)}{4} + \frac{\sqrt{2}Q_v(x^2 + y^2 - 2z^2)}{4}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,1)}[q](E, 1), \vec{\mathbb{G}}_{3,2}^{(2,1)}[q](E, 1)$$

** symmetry

$$\frac{\sqrt{6}y(x^2 + y^2 - 4z^2)}{4}$$

$$-\frac{\sqrt{6}x(x^2 + y^2 - 4z^2)}{4}$$

** expression

$$\frac{\sqrt{30}Q_uxz(3x^2 + 3y^2 - 4z^2)}{24} + \frac{\sqrt{10}Q_vxz(x^2 - 27y^2 + 8z^2)}{24} + \frac{\sqrt{10}Q_{xy}yz(15x^2 - 13y^2 + 8z^2)}{24} + \frac{\sqrt{10}Q_{xz}(x^4 + 3x^2y^2 - 9x^2z^2 + 2y^4 - 15y^2z^2 + 4z^4)}{24} - \frac{\sqrt{10}Q_{yz}xy(x^2 + y^2 - 6z^2)}{24}$$

$$\frac{\sqrt{30}Q_u y z (3x^2 + 3y^2 - 4z^2)}{24} + \frac{\sqrt{10}Q_v y z (27x^2 - y^2 - 8z^2)}{24} - \frac{\sqrt{10}Q_{xy} x z (13x^2 - 15y^2 - 8z^2)}{24}$$

$$- \frac{\sqrt{10}Q_{xz} x y (x^2 + y^2 - 6z^2)}{24} + \frac{\sqrt{10}Q_{yz} (2x^4 + 3x^2 y^2 - 15x^2 z^2 + y^4 - 9y^2 z^2 + 4z^4)}{24}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,1)}[q](E, 2), \vec{\mathbb{G}}_{3,2}^{(2,1)}[q](E, 2)$$

** symmetry

$$- \frac{\sqrt{15}z (x - y) (x + y)}{2}$$

$$\sqrt{15}xyz$$

** expression

$$- \frac{\sqrt{3}Q_u x y (x^2 + y^2 - 6z^2)}{3} - \frac{7Q_v x y (x - y) (x + y)}{6} + \frac{Q_{xy} (5x^4 - 18x^2 y^2 - 12x^2 z^2 + 5y^4 - 12y^2 z^2 + 4z^4)}{12}$$

$$+ \frac{7Q_{xz} y z (3x^2 + y^2 - 2z^2)}{12} + \frac{7Q_{yz} x z (x^2 + 3y^2 - 2z^2)}{12}$$

$$- \frac{\sqrt{3}Q_u (x - y) (x + y) (x^2 + y^2 - 6z^2)}{6} - \frac{Q_v (x^4 - 12x^2 y^2 + 6x^2 z^2 + y^4 + 6y^2 z^2 - 2z^4)}{6}$$

$$- \frac{7Q_{xy} x y (x - y) (x + y)}{6} + \frac{7Q_{xz} x z (x - z) (x + z)}{6} - \frac{7Q_{yz} y z (y - z) (y + z)}{6}$$

* Harmonics for rank 4

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](A_1)$$

** symmetry

$$\frac{\sqrt{70}x z (x^2 - 3y^2)}{4}$$

** expression

$$- \frac{3\sqrt{2}Q_u y (3x^2 - y^2)}{8} - \frac{\sqrt{6}Q_v y (x^2 + y^2 - 4z^2)}{8} - \frac{\sqrt{6}Q_{xy} x (x^2 + y^2 - 4z^2)}{8} - \frac{\sqrt{6}Q_{xz} x y z}{4} - \frac{\sqrt{6}Q_{yz} z (x - y) (x + y)}{8}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](A_1)$$

** symmetry

$$\frac{\sqrt{70}x z (x^2 - 3y^2)}{4}$$

** expression

$$\frac{3\sqrt{77}Q_u y (3x^2 - y^2) (x^2 + y^2 - 8z^2)}{88} + \frac{\sqrt{231}Q_v y (7x^4 - 16x^2 y^2 + 6x^2 z^2 + y^4 + 6y^2 z^2 - 4z^4)}{88}$$

$$- \frac{\sqrt{231}Q_{xy} x (x^4 - 7x^2 y^2 - 3x^2 z^2 + 4y^4 - 3y^2 z^2 + 2z^4)}{44} - \frac{\sqrt{231}Q_{xz} x y z (11x^2 - y^2 - 10z^2)}{44} - \frac{\sqrt{231}Q_{yz} z (x^4 + 9x^2 y^2 - 5x^2 z^2 - 4y^4 + 5y^2 z^2)}{44}$$

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](A_2, 1)$$

** symmetry

$$\frac{3x^4}{8} + \frac{3x^2 y^2}{4} - 3x^2 z^2 + \frac{3y^4}{8} - 3y^2 z^2 + z^4$$

** expression

$$- \frac{\sqrt{105}Q_v x y z}{7} + \frac{\sqrt{105}Q_{xy} z (x - y) (x + y)}{14} - \frac{\sqrt{105}Q_{xz} y (x^2 + y^2 - 4z^2)}{28} + \frac{\sqrt{105}Q_{yz} x (x^2 + y^2 - 4z^2)}{28}$$

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](A_2, 2)$$

** symmetry

$$\frac{\sqrt{70}y z (3x^2 - y^2)}{4}$$

** expression

$$\frac{3\sqrt{2}Q_u x (x^2 - 3y^2)}{8} + \frac{\sqrt{6}Q_v x (x^2 + y^2 - 4z^2)}{8} - \frac{\sqrt{6}Q_{xy} y (x^2 + y^2 - 4z^2)}{8} + \frac{\sqrt{6}Q_{xz} z (x - y) (x + y)}{8} - \frac{\sqrt{6}Q_{yz} x y z}{4}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](A_2, 1)$$

** symmetry

$$\frac{3x^4}{8} + \frac{3x^2 y^2}{4} - 3x^2 z^2 + \frac{3y^4}{8} - 3y^2 z^2 + z^4$$

** expression

$$-\frac{7\sqrt{330}Q_vxyz(x^2+y^2-2z^2)}{44} + \frac{7\sqrt{330}Q_{xy}z(x-y)(x+y)(x^2+y^2-2z^2)}{88} \\ + \frac{\sqrt{330}Q_{xz}y(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{88} - \frac{\sqrt{330}Q_{yz}x(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{88}$$

$\vec{\mathbb{G}}_4^{(2,1)}[q](A_2, 2)$

** symmetry

$$\frac{\sqrt{70}yz(3x^2-y^2)}{4}$$

** expression

$$-\frac{3\sqrt{77}Q_{ux}(x^2-3y^2)(x^2+y^2-8z^2)}{88} - \frac{\sqrt{231}Q_vx(x^4-16x^2y^2+6x^2z^2+7y^4+6y^2z^2-4z^4)}{88} \\ - \frac{\sqrt{231}Q_{xy}y(4x^4-7x^2y^2-3x^2z^2+y^4-3y^2z^2+2z^4)}{44} + \frac{\sqrt{231}Q_{xz}z(4x^4-9x^2y^2-5x^2z^2-y^4+5y^2z^2)}{44} + \frac{\sqrt{231}Q_{yz}xyz(x^2-11y^2+10z^2)}{44}$$

$\vec{\mathbb{G}}_{4,1}^{(2,-1)}[q](E, 1), \vec{\mathbb{G}}_{4,2}^{(2,-1)}[q](E, 1)$

** symmetry

$$-\frac{\sqrt{10}yz(3x^2+3y^2-4z^2)}{4}$$

$$\frac{\sqrt{10}xz(3x^2+3y^2-4z^2)}{4}$$

** expression

$$-\frac{3\sqrt{14}Q_{ux}(x^2+y^2-4z^2)}{56} - \frac{\sqrt{42}Q_vx(x^2+5y^2-8z^2)}{56} + \frac{\sqrt{42}Q_{xy}y(x^2-3y^2+8z^2)}{56} - \frac{\sqrt{42}Q_{xz}z(x^2-13y^2+4z^2)}{56} - \frac{\sqrt{42}Q_{yz}xyz}{4} \\ - \frac{3\sqrt{14}Q_{uy}(x^2+y^2-4z^2)}{56} + \frac{\sqrt{42}Q_vy(5x^2+y^2-8z^2)}{56} - \frac{\sqrt{42}Q_{xy}x(3x^2-y^2-8z^2)}{56} - \frac{\sqrt{42}Q_{xz}xyz}{4} + \frac{\sqrt{42}Q_{yz}z(13x^2-y^2-4z^2)}{56}$$

$\vec{\mathbb{G}}_{4,1}^{(2,-1)}[q](E, 2), \vec{\mathbb{G}}_{4,2}^{(2,-1)}[q](E, 2)$

** symmetry

$$\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$$

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

** expression

$$\sqrt{3}Q_vxyz + \frac{\sqrt{3}Q_{xy}z(x-y)(x+y)}{2} - \frac{\sqrt{3}Q_{xz}y(3x^2-y^2)}{4} - \frac{\sqrt{3}Q_{yz}x(x^2-3y^2)}{4} \\ - \frac{\sqrt{3}Q_vz(x-y)(x+y)}{2} + \sqrt{3}Q_{xy}xyz + \frac{\sqrt{3}Q_{xz}x(x^2-3y^2)}{4} - \frac{\sqrt{3}Q_{yz}y(3x^2-y^2)}{4}$$

$\vec{\mathbb{G}}_{4,1}^{(2,-1)}[q](E, 3), \vec{\mathbb{G}}_{4,2}^{(2,-1)}[q](E, 3)$

** symmetry

$$-\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

$$\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

** expression

$$-\frac{6\sqrt{7}Q_{u}xyz}{7} - \frac{\sqrt{21}Q_{xy}z(3x^2+3y^2-2z^2)}{14} + \frac{\sqrt{21}Q_{xz}y(2x^2-y^2+z^2)}{14} - \frac{\sqrt{21}Q_{yz}x(x^2-2y^2-z^2)}{14} \\ - \frac{3\sqrt{7}Q_{uz}(x-y)(x+y)}{7} - \frac{\sqrt{21}Q_vz(3x^2+3y^2-2z^2)}{14} + \frac{\sqrt{21}Q_{xz}x(x^2-5y^2+2z^2)}{28} + \frac{\sqrt{21}Q_{yz}y(5x^2-y^2-2z^2)}{28}$$

$\vec{\mathbb{G}}_{4,1}^{(2,1)}[q](E, 1), \vec{\mathbb{G}}_{4,2}^{(2,1)}[q](E, 1)$

** symmetry

$$-\frac{\sqrt{10}yz(3x^2+3y^2-4z^2)}{4}$$

$$\frac{\sqrt{10}xz(3x^2 + 3y^2 - 4z^2)}{4}$$

** expression

$$\begin{aligned} & \frac{3\sqrt{11}Q_{ux}(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{88} + \frac{\sqrt{33}Q_{vx}(x^4 - 12x^2y^2 + 2x^2z^2 - 13y^4 + 114y^2z^2 - 20z^4)}{88} \\ & + \frac{\sqrt{33}Q_{xyy}(4x^4 + x^2y^2 - 27x^2z^2 - 3y^4 + 29y^2z^2 - 10z^4)}{44} \\ & - \frac{\sqrt{33}Q_{xzz}(4x^4 + 15x^2y^2 - 13x^2z^2 + 11y^4 - 27y^2z^2 + 4z^4)}{44} + \frac{7\sqrt{33}Q_{yzxyz}(x^2 + y^2 - 2z^2)}{44} \\ & \frac{3\sqrt{11}Q_{uy}(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{88} + \frac{\sqrt{33}Q_{vy}(13x^4 + 12x^2y^2 - 114x^2z^2 - y^4 - 2y^2z^2 + 20z^4)}{88} \\ & - \frac{\sqrt{33}Q_{xyx}(3x^4 - x^2y^2 - 29x^2z^2 - 4y^4 + 27y^2z^2 + 10z^4)}{44} + \frac{7\sqrt{33}Q_{xzyz}(x^2 + y^2 - 2z^2)}{44} \\ & - \frac{\sqrt{33}Q_{yzz}(11x^4 + 15x^2y^2 - 27x^2z^2 + 4y^4 - 13y^2z^2 + 4z^4)}{44} \end{aligned}$$

$$\tilde{\mathbb{G}}_{4,1}^{(2,1)}[q](E, 2), \tilde{\mathbb{G}}_{4,2}^{(2,1)}[q](E, 2)$$

** symmetry

$$\frac{\sqrt{35}(x^2 - 2xy - y^2)(x^2 + 2xy - y^2)}{8}$$

$$\frac{\sqrt{35}xy(x - y)(x + y)}{2}$$

** expression

$$\begin{aligned} & - \frac{9\sqrt{154}Q_{uxyz}(x - y)(x + y)}{22} + \frac{\sqrt{462}Q_{vxyz}(x^2 + y^2 - 2z^2)}{44} + \frac{\sqrt{462}Q_{xyyz}(x - y)(x + y)(x^2 + y^2 - 2z^2)}{88} \\ & - \frac{\sqrt{462}Q_{xzyz}(9x^4 - 14x^2y^2 - 12x^2z^2 + y^4 + 4y^2z^2)}{88} + \frac{\sqrt{462}Q_{yzxz}(x^4 - 14x^2y^2 + 4x^2z^2 + 9y^4 - 12y^2z^2)}{88} \\ & \frac{9\sqrt{154}Q_{uz}(x^2 - 2xy - y^2)(x^2 + 2xy - y^2)}{88} - \frac{\sqrt{462}Q_{vz}(x - y)(x + y)(x^2 + y^2 - 2z^2)}{88} + \frac{\sqrt{462}Q_{xyxyz}(x^2 + y^2 - 2z^2)}{44} \\ & + \frac{\sqrt{462}Q_{xzx}(x^4 - 8x^2y^2 - 2x^2z^2 + 3y^4 + 6y^2z^2)}{44} + \frac{\sqrt{462}Q_{yzy}(3x^4 - 8x^2y^2 + 6x^2z^2 + y^4 - 2y^2z^2)}{44} \end{aligned}$$

$$\tilde{\mathbb{G}}_{4,1}^{(2,1)}[q](E, 3), \tilde{\mathbb{G}}_{4,2}^{(2,1)}[q](E, 3)$$

** symmetry

$$-\frac{\sqrt{5}(x - y)(x + y)(x^2 + y^2 - 6z^2)}{4}$$

$$\frac{\sqrt{5}xy(x^2 + y^2 - 6z^2)}{2}$$

** expression

$$\begin{aligned} & \frac{21\sqrt{22}Q_{uxyz}(x^2 + y^2 - 2z^2)}{44} + \frac{21\sqrt{66}Q_{vxyz}(x - y)(x + y)}{44} - \frac{\sqrt{66}Q_{xyz}(9x^4 - 24x^2y^2 - 10x^2z^2 + 9y^4 - 10y^2z^2 + 2z^4)}{44} \\ & + \frac{\sqrt{66}Q_{xzy}(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{44} + \frac{\sqrt{66}Q_{yzx}(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{44} \\ & \frac{21\sqrt{22}Q_{uz}(x - y)(x + y)(x^2 + y^2 - 2z^2)}{88} + \frac{\sqrt{66}Q_{vz}(3x^4 - 78x^2y^2 + 20x^2z^2 + 3y^4 + 20y^2z^2 - 4z^4)}{88} + \frac{21\sqrt{66}Q_{xyxyz}(x - y)(x + y)}{44} \\ & + \frac{\sqrt{66}Q_{xzx}(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{44} - \frac{\sqrt{66}Q_{yzy}(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{44} \end{aligned}$$