

SG No. 52 D_{2h}^6 $Pnna$ [orthorhombic]

* plus set: $+ [0, 0, 0]$

Table 1: Wyckoff site: 4a, site symmetry: -1

No.	position	mapping
1	$[0, 0, 0]$	$[1, 5]$
2	$[\frac{1}{2}, 0, 0]$	$[2, 6]$
3	$[\frac{1}{2}, \frac{1}{2}, \frac{1}{2}]$	$[3, 7]$
4	$[0, \frac{1}{2}, \frac{1}{2}]$	$[4, 8]$

Table 2: Wyckoff site: 4b, site symmetry: -1

No.	position	mapping
1	$[0, 0, \frac{1}{2}]$	$[1, 5]$
2	$[\frac{1}{2}, 0, \frac{1}{2}]$	$[2, 6]$
3	$[\frac{1}{2}, \frac{1}{2}, 0]$	$[3, 7]$
4	$[0, \frac{1}{2}, 0]$	$[4, 8]$

Table 3: Wyckoff site: 4c, site symmetry: $. . 2$

No.	position	mapping
1	$[\frac{1}{4}, 0, z]$	$[1, 2]$
2	$[\frac{1}{4}, \frac{1}{2}, \frac{1}{2} - z]$	$[3, 4]$
3	$[\frac{3}{4}, 0, -z]$	$[5, 6]$
4	$[\frac{3}{4}, \frac{1}{2}, z + \frac{1}{2}]$	$[7, 8]$

Table 4: Wyckoff site: 4d, site symmetry: $2 . .$

No.	position	mapping
1	$[x, \frac{1}{4}, \frac{1}{4}]$	$[1, 4]$
2	$[\frac{1}{2} - x, \frac{3}{4}, \frac{1}{4}]$	$[2, 3]$
3	$[-x, \frac{3}{4}, \frac{3}{4}]$	$[5, 8]$
4	$[x + \frac{1}{2}, \frac{1}{4}, \frac{3}{4}]$	$[6, 7]$

Table 5: Wyckoff site: 8e, site symmetry: 1

No.	position	mapping
1	$[x, y, z]$	$[1]$

continued ...

Table 5

No.	position	mapping
2	$[\frac{1}{2} - x, -y, z]$	[2]
3	$[\frac{1}{2} - x, y + \frac{1}{2}, \frac{1}{2} - z]$	[3]
4	$[x, \frac{1}{2} - y, \frac{1}{2} - z]$	[4]
5	$[-x, -y, -z]$	[5]
6	$[x + \frac{1}{2}, y, -z]$	[6]
7	$[x + \frac{1}{2}, \frac{1}{2} - y, z + \frac{1}{2}]$	[7]
8	$[-x, y + \frac{1}{2}, z + \frac{1}{2}]$	[8]