

PG No. 10 S_4 $\bar{4}$ [tetragonal] (polar, internal axial quadrupole)

* Harmonics for rank 0

* Harmonics for rank 1

$$\bar{Q}_1^{(2,1)}[g](B)$$

** symmetry

z

** expression

$$\frac{\sqrt{30}G_vxy}{5} - \frac{\sqrt{30}G_{xy}(x-y)(x+y)}{10} + \frac{\sqrt{30}G_{xz}yz}{10} - \frac{\sqrt{30}G_{yz}xz}{10}$$

$$\bar{Q}_{1,1}^{(2,1)}[g](E), \bar{Q}_{1,2}^{(2,1)}[g](E)$$

** symmetry

x

y

** expression

$$-\frac{3\sqrt{10}G_{uz}}{10} - \frac{\sqrt{30}G_{vyz}}{10} + \frac{\sqrt{30}G_{xy}xz}{10} - \frac{\sqrt{30}G_{xz}xy}{10} - \frac{\sqrt{30}G_{yz}(y-z)(y+z)}{10}$$

$$\frac{3\sqrt{10}G_{uxz}}{10} - \frac{\sqrt{30}G_{vzx}}{10} - \frac{\sqrt{30}G_{xy}yz}{10} + \frac{\sqrt{30}G_{xz}(x-z)(x+z)}{10} + \frac{\sqrt{30}G_{yz}xy}{10}$$

* Harmonics for rank 2

$$\bar{Q}_2^{(2,-1)}[g](A)$$

** symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

** expression

$$\frac{\sqrt{2}G_{xzy}}{2} - \frac{\sqrt{2}G_{yzx}}{2}$$

$$\bar{Q}_2^{(2,1)}[g](A)$$

** symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

** expression

$$\frac{5\sqrt{42}G_vxyz}{14} - \frac{5\sqrt{42}G_{xyz}(x-y)(x+y)}{28} - \frac{\sqrt{42}G_{xzy}(x^2+y^2-4z^2)}{28} + \frac{\sqrt{42}G_{yzx}(x^2+y^2-4z^2)}{28}$$

$$\bar{Q}_2^{(2,-1)}[g](B, 1)$$

** symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

** expression

$$\frac{\sqrt{6}G_{xyz}}{3} - \frac{\sqrt{6}G_{xzy}}{6} - \frac{\sqrt{6}G_{yzx}}{6}$$

$$\bar{Q}_2^{(2,-1)}[g](B, 2)$$

** symmetry

$$\sqrt{3}xy$$

** expression

$$-\frac{\sqrt{6}G_vz}{3} + \frac{\sqrt{6}G_{xzx}}{6} - \frac{\sqrt{6}G_{yzy}}{6}$$

$$\bar{Q}_2^{(2,1)}[g](B, 1)$$

** symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

** expression

$$-\frac{5\sqrt{42}G_uxyz}{14} + \frac{\sqrt{14}G_{xy}z(3x^2 + 3y^2 - 2z^2)}{28} - \frac{\sqrt{14}G_{xzy}(9x^2 - y^2 - 6z^2)}{28} + \frac{\sqrt{14}G_{yzx}(x^2 - 9y^2 + 6z^2)}{28}$$

$$\bar{\mathbb{Q}}_2^{(2,1)}[g](B, 2)$$

** symmetry

$$\sqrt{3}xy$$

** expression

$$\frac{5\sqrt{42}G_{uz}(x-y)(x+y)}{28} - \frac{\sqrt{14}G_vz(3x^2 + 3y^2 - 2z^2)}{28} + \frac{\sqrt{14}G_{xzx}(2x^2 - 3y^2 - 3z^2)}{14} + \frac{\sqrt{14}G_{yzy}(3x^2 - 2y^2 + 3z^2)}{14}$$

$$\bar{\mathbb{Q}}_{2,1}^{(2,-1)}[g](E), \bar{\mathbb{Q}}_{2,2}^{(2,-1)}[g](E)$$

** symmetry

$$\sqrt{3}yz$$

$$\sqrt{3}xz$$

** expression

$$\frac{\sqrt{2}G_{ux}}{2} + \frac{\sqrt{6}G_{vx}}{6} + \frac{\sqrt{6}G_{xyy}}{6} - \frac{\sqrt{6}G_{xzz}}{6}$$

$$-\frac{\sqrt{2}G_{uy}}{2} + \frac{\sqrt{6}G_{vy}}{6} - \frac{\sqrt{6}G_{xyx}}{6} + \frac{\sqrt{6}G_{yzz}}{6}$$

$$\bar{\mathbb{Q}}_{2,1}^{(2,1)}[g](E), \bar{\mathbb{Q}}_{2,2}^{(2,1)}[g](E)$$

** symmetry

$$\sqrt{3}yz$$

$$\sqrt{3}xz$$

** expression

$$-\frac{\sqrt{42}G_{ux}(x^2 + y^2 - 4z^2)}{28} - \frac{\sqrt{14}G_vx(x^2 - 9y^2 + 6z^2)}{28} - \frac{\sqrt{14}G_{xyy}(3x^2 - 2y^2 + 3z^2)}{14} + \frac{\sqrt{14}G_{xzz}(3x^2 + 3y^2 - 2z^2)}{14}$$

$$\frac{\sqrt{42}G_{uy}(x^2 + y^2 - 4z^2)}{28} + \frac{\sqrt{14}G_vy(9x^2 - y^2 - 6z^2)}{28} - \frac{\sqrt{14}G_{xyx}(2x^2 - 3y^2 - 3z^2)}{14} - \frac{\sqrt{14}G_{yzz}(3x^2 + 3y^2 - 2z^2)}{14}$$

* Harmonics for rank 3

$$\bar{\mathbb{Q}}_3^{(2,-1)}[g](A, 1)$$

** symmetry

$$\sqrt{15}xyz$$

** expression

$$\frac{\sqrt{6}G_u(x-y)(x+y)}{4} + \frac{\sqrt{2}G_v(x^2 + y^2 - 2z^2)}{4}$$

$$\bar{\mathbb{Q}}_3^{(2,-1)}[g](A, 2)$$

** symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

** expression

$$-\frac{\sqrt{6}G_{uxy}}{2} - \frac{\sqrt{2}G_{xy}(x^2 + y^2 - 2z^2)}{4}$$

$$\bar{\mathbb{Q}}_3^{(2,1)}[g](A, 1)$$

** symmetry

$$\sqrt{15}xyz$$

** expression

$$-\frac{\sqrt{3}G_u(x-y)(x+y)(x^2 + y^2 - 6z^2)}{6} - \frac{G_v(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{6}$$

$$-\frac{7G_{xyxy}(x-y)(x+y)}{6} + \frac{7G_{xzxz}(x-z)(x+z)}{6} - \frac{7G_{yzyz}(y-z)(y+z)}{6}$$

$$\bar{\mathbb{Q}}_3^{(2,1)}[g](A, 2)$$

** symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

** expression

$$\frac{\sqrt{3}G_u xy(x^2+y^2-6z^2)}{3} + \frac{7G_v xy(x-y)(x+y)}{6} - \frac{G_{xy}(5x^4-18x^2y^2-12x^2z^2+5y^4-12y^2z^2+4z^4)}{12}$$

$$- \frac{7G_{xz}yz(3x^2+y^2-2z^2)}{12} - \frac{7G_{yz}xz(x^2+3y^2-2z^2)}{12}$$

$$\bar{\mathbb{Q}}_3^{(2,-1)}[g](B)$$

** symmetry

$$- \frac{z(3x^2+3y^2-2z^2)}{2}$$

** expression

$$- \frac{\sqrt{30}G_v xy}{10} + \frac{\sqrt{30}G_{xy}(x-y)(x+y)}{20} + \frac{\sqrt{30}G_{xz}yz}{5} - \frac{\sqrt{30}G_{yz}xz}{5}$$

$$\bar{\mathbb{Q}}_3^{(2,1)}[g](B)$$

** symmetry

$$- \frac{z(3x^2+3y^2-2z^2)}{2}$$

** expression

$$- \frac{\sqrt{15}G_v xy(x^2+y^2-6z^2)}{6} + \frac{\sqrt{15}G_{xy}(x-y)(x+y)(x^2+y^2-6z^2)}{12} - \frac{\sqrt{15}G_{xz}yz(3x^2+3y^2-4z^2)}{12} + \frac{\sqrt{15}G_{yz}xz(3x^2+3y^2-4z^2)}{12}$$

$$\bar{\mathbb{Q}}_{3,1}^{(2,-1)}[g](E, 1), \bar{\mathbb{Q}}_{3,2}^{(2,-1)}[g](E, 1)$$

** symmetry

$$\frac{x(2x^2-3y^2-3z^2)}{2}$$

$$- \frac{y(3x^2-2y^2+3z^2)}{2}$$

** expression

$$\frac{3\sqrt{10}G_u yz}{20} + \frac{\sqrt{30}G_v yz}{20} + \frac{\sqrt{30}G_{xy}xz}{5} - \frac{\sqrt{30}G_{xz}xy}{5} + \frac{\sqrt{30}G_{yz}(y-z)(y+z)}{20}$$

$$- \frac{3\sqrt{10}G_u xz}{20} + \frac{\sqrt{30}G_v xz}{20} - \frac{\sqrt{30}G_{xy}yz}{5} - \frac{\sqrt{30}G_{xz}(x-z)(x+z)}{20} + \frac{\sqrt{30}G_{yz}xy}{5}$$

$$\bar{\mathbb{Q}}_{3,1}^{(2,-1)}[g](E, 2), \bar{\mathbb{Q}}_{3,2}^{(2,-1)}[g](E, 2)$$

** symmetry

$$- \frac{\sqrt{15}y(x-z)(x+z)}{2}$$

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

** expression

$$\frac{\sqrt{6}G_u xz}{4} + \frac{3\sqrt{2}G_v xz}{4} - \frac{\sqrt{2}G_{xz}(x^2-2y^2+z^2)}{4}$$

$$\frac{\sqrt{6}G_u yz}{4} - \frac{3\sqrt{2}G_v yz}{4} + \frac{\sqrt{2}G_{yz}(2x^2-y^2-z^2)}{4}$$

$$\bar{\mathbb{Q}}_{3,1}^{(2,1)}[g](E, 1), \bar{\mathbb{Q}}_{3,2}^{(2,1)}[g](E, 1)$$

** symmetry

$$\frac{x(2x^2-3y^2-3z^2)}{2}$$

$$- \frac{y(3x^2-2y^2+3z^2)}{2}$$

** expression

$$\begin{aligned} & -\frac{\sqrt{5}G_u y z (6x^2 - y^2 - z^2)}{4} - \frac{\sqrt{15}G_v y z (6x^2 - y^2 - z^2)}{12} + \frac{\sqrt{15}G_{xy} x z (4x^2 - 3y^2 - 3z^2)}{12} \\ & - \frac{\sqrt{15}G_{xz} x y (4x^2 - 3y^2 - 3z^2)}{12} - \frac{\sqrt{15}G_{yz} (y - z) (y + z) (6x^2 - y^2 - z^2)}{12} \\ & - \frac{\sqrt{5}G_u x z (x^2 - 6y^2 + z^2)}{4} + \frac{\sqrt{15}G_v x z (x^2 - 6y^2 + z^2)}{12} + \frac{\sqrt{15}G_{xy} y z (3x^2 - 4y^2 + 3z^2)}{12} \\ & - \frac{\sqrt{15}G_{xz} (x - z) (x + z) (x^2 - 6y^2 + z^2)}{12} - \frac{\sqrt{15}G_{yz} x y (3x^2 - 4y^2 + 3z^2)}{12} \end{aligned}$$

$$\bar{\mathbb{Q}}_{3,1}^{(2,1)}[g](E, 2), \bar{\mathbb{Q}}_{3,2}^{(2,1)}[g](E, 2)$$

** symmetry

$$\begin{aligned} & -\frac{\sqrt{15}y (x - z) (x + z)}{2} \\ & \frac{\sqrt{15}x (y - z) (y + z)}{2} \end{aligned}$$

** expression

$$\begin{aligned} & -\frac{\sqrt{3}G_u x z (9x^2 - 12y^2 - 5z^2)}{12} + \frac{G_v x z (x^2 + 36y^2 - 13z^2)}{12} - \frac{7G_{xy} y z (3x^2 - 2y^2 + z^2)}{12} \\ & - \frac{G_{xz} (5x^4 - 12x^2 y^2 - 18x^2 z^2 + 4y^4 - 12y^2 z^2 + 5z^4)}{12} - \frac{7G_{yz} x y (x^2 - 2y^2 + 3z^2)}{12} \\ & \frac{\sqrt{3}G_u y z (12x^2 - 9y^2 + 5z^2)}{12} - \frac{G_v y z (36x^2 + y^2 - 13z^2)}{12} + \frac{7G_{xy} x z (2x^2 - 3y^2 - z^2)}{12} \\ & + \frac{7G_{xz} x y (2x^2 - y^2 - 3z^2)}{12} - \frac{G_{yz} (4x^4 - 12x^2 y^2 - 12x^2 z^2 + 5y^4 - 18y^2 z^2 + 5z^4)}{12} \end{aligned}$$

* Harmonics for rank 4

$$\bar{\mathbb{Q}}_4^{(2,-1)}[g](A, 1)$$

** symmetry

$$\frac{\sqrt{21} (x^4 - 3x^2 y^2 - 3x^2 z^2 + y^4 - 3y^2 z^2 + z^4)}{6}$$

** expression

$$\frac{\sqrt{5}G_{xy} z (x - y) (x + y)}{2} - \frac{\sqrt{5}G_{xz} y (x - z) (x + z)}{2} + \frac{\sqrt{5}G_{yz} x (y - z) (y + z)}{2}$$

$$\bar{\mathbb{Q}}_4^{(2,-1)}[g](A, 2)$$

** symmetry

$$-\frac{\sqrt{15} (x^4 - 12x^2 y^2 + 6x^2 z^2 + y^4 + 6y^2 z^2 - 2z^4)}{12}$$

** expression

$$-\frac{6\sqrt{7}G_v x y z}{7} - \frac{\sqrt{7}G_{xy} z (x - y) (x + y)}{14} + \frac{\sqrt{7}G_{xz} y (4x^2 - 3y^2 + 5z^2)}{14} + \frac{\sqrt{7}G_{yz} x (3x^2 - 4y^2 - 5z^2)}{14}$$

$$\bar{\mathbb{Q}}_4^{(2,-1)}[g](A, 3)$$

** symmetry

$$\frac{\sqrt{35}x y (x - y) (x + y)}{2}$$

** expression

$$-\frac{\sqrt{3}G_v z (x - y) (x + y)}{2} + \sqrt{3}G_{xy} x y z + \frac{\sqrt{3}G_{xz} x (x^2 - 3y^2)}{4} - \frac{\sqrt{3}G_{yz} y (3x^2 - y^2)}{4}$$

$$\bar{\mathbb{Q}}_4^{(2,1)}[g](A, 1)$$

** symmetry

$$\frac{\sqrt{21} (x^4 - 3x^2 y^2 - 3x^2 z^2 + y^4 - 3y^2 z^2 + z^4)}{6}$$

** expression

$$\begin{aligned} & -\frac{3\sqrt{2310}G_u x y z (x - y) (x + y)}{44} - \frac{3\sqrt{770}G_v x y z (x^2 + y^2 - 2z^2)}{44} + \frac{\sqrt{770}G_{xy} z (x - y) (x + y) (x^2 + y^2 - 2z^2)}{22} \\ & - \frac{\sqrt{770}G_{xz} y (x - z) (x + z) (x^2 - 2y^2 + z^2)}{22} - \frac{\sqrt{770}G_{yz} x (y - z) (y + z) (2x^2 - y^2 - z^2)}{22} \end{aligned}$$

$$\bar{Q}_4^{(2,1)}[g](A, 2)$$

** symmetry

$$-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$$

** expression

$$\frac{21\sqrt{66}G_uxyz(x-y)(x+y)}{44} - \frac{21\sqrt{22}G_vxyz(x^2+y^2-2z^2)}{44} + \frac{7\sqrt{22}G_{xy}z(x-y)(x+y)(x^2+y^2-2z^2)}{44} + \frac{\sqrt{22}G_{xz}y(17x^4-22x^2y^2-36x^2z^2+3y^4-8y^2z^2+10z^4)}{44} - \frac{\sqrt{22}G_{yz}x(3x^4-22x^2y^2-8x^2z^2+17y^4-36y^2z^2+10z^4)}{44}$$

$$\bar{Q}_4^{(2,1)}[g](A, 3)$$

** symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

** expression

$$\frac{9\sqrt{154}G_uz(x^2-2xy-y^2)(x^2+2xy-y^2)}{88} - \frac{\sqrt{462}G_vz(x-y)(x+y)(x^2+y^2-2z^2)}{88} + \frac{\sqrt{462}G_{xy}xyz(x^2+y^2-2z^2)}{44} + \frac{\sqrt{462}G_{xz}x(x^4-8x^2y^2-2x^2z^2+3y^4+6y^2z^2)}{44} + \frac{\sqrt{462}G_{yz}y(3x^4-8x^2y^2+6x^2z^2+y^4-2y^2z^2)}{44}$$

$$\bar{Q}_4^{(2,-1)}[g](B, 1)$$

** symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

** expression

$$\frac{6\sqrt{7}G_uxyz}{7} + \frac{\sqrt{21}G_{xy}z(3x^2+3y^2-2z^2)}{14} - \frac{\sqrt{21}G_{xz}y(2x^2-y^2+z^2)}{14} + \frac{\sqrt{21}G_{yz}x(x^2-2y^2-z^2)}{14}$$

$$\bar{Q}_4^{(2,-1)}[g](B, 2)$$

** symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

** expression

$$\frac{3\sqrt{7}G_uz(x-y)(x+y)}{7} + \frac{\sqrt{21}G_vz(3x^2+3y^2-2z^2)}{14} - \frac{\sqrt{21}G_{xz}x(x^2-5y^2+2z^2)}{28} - \frac{\sqrt{21}G_{yz}y(5x^2-y^2-2z^2)}{28}$$

$$\bar{Q}_4^{(2,1)}[g](B, 1)$$

** symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

** expression

$$-\frac{21\sqrt{22}G_uxyz(x^2+y^2-2z^2)}{44} - \frac{21\sqrt{66}G_vxyz(x-y)(x+y)}{44} + \frac{\sqrt{66}G_{xy}z(9x^4-24x^2y^2-10x^2z^2+9y^4-10y^2z^2+2z^4)}{44} - \frac{\sqrt{66}G_{xz}y(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} - \frac{\sqrt{66}G_{yz}x(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44}$$

$$\bar{Q}_4^{(2,1)}[g](B, 2)$$

** symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

** expression

$$-\frac{21\sqrt{22}G_uz(x-y)(x+y)(x^2+y^2-2z^2)}{88} - \frac{\sqrt{66}G_vz(3x^4-78x^2y^2+20x^2z^2+3y^4+20y^2z^2-4z^4)}{88} - \frac{21\sqrt{66}G_{xy}xyz(x-y)(x+y)}{44} - \frac{\sqrt{66}G_{xz}x(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} + \frac{\sqrt{66}G_{yz}y(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44}$$

$$\bar{Q}_{4,1}^{(2,-1)}[g](E, 1), \bar{Q}_{4,2}^{(2,-1)}[g](E, 1)$$

** symmetry

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

** expression

$$\frac{3G_u x(x-z)(x+z)}{4} - \frac{\sqrt{3}G_v y(x-z)(x+z)}{4} + \frac{\sqrt{3}G_{xy} x(x^2-3z^2)}{4} + \sqrt{3}G_{xz}xyz - \frac{\sqrt{3}G_{yz} z(3x^2-z^2)}{4}$$

$$\frac{3G_u x(y-z)(y+z)}{4} + \frac{\sqrt{3}G_v y(y-z)(y+z)}{4} + \frac{\sqrt{3}G_{xy} y(y^2-3z^2)}{4} - \frac{\sqrt{3}G_{xz} z(3y^2-z^2)}{4} + \sqrt{3}G_{yz}xyz$$

$$\tilde{Q}_{4,1}^{(2,-1)}[g](E,2), \tilde{Q}_{4,2}^{(2,-1)}[g](E,2)$$

** symmetry

$$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$$

$$- \frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$$

** expression

$$\frac{3\sqrt{7}G_u x(2x^2-5y^2-z^2)}{28} + \frac{\sqrt{21}G_v x(2x^2+3y^2-9z^2)}{28} - \frac{\sqrt{21}G_{xy} y(2x^2+y^2-5z^2)}{28} + \frac{\sqrt{21}G_{xz} z(2x^2-5y^2+z^2)}{28}$$

$$\frac{3\sqrt{7}G_u y(5x^2-2y^2+z^2)}{28} + \frac{\sqrt{21}G_v y(3x^2+2y^2-9z^2)}{28} + \frac{\sqrt{21}G_{xy} x(x^2+2y^2-5z^2)}{28} + \frac{\sqrt{21}G_{yz} z(5x^2-2y^2-z^2)}{28}$$

$$\tilde{Q}_{4,1}^{(2,1)}[g](E,1), \tilde{Q}_{4,2}^{(2,1)}[g](E,1)$$

** symmetry

$$- \frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

** expression

$$- \frac{3\sqrt{154}G_u y(x^4+x^2y^2-9x^2z^2-y^2z^2+2z^4)}{88} - \frac{\sqrt{462}G_v y(5x^4-x^2y^2-27x^2z^2+y^2z^2+4z^4)}{88}$$

$$+ \frac{\sqrt{462}G_{xy} x(x^4-2x^2y^2-8x^2z^2+6y^2z^2+3z^4)}{44} + \frac{\sqrt{462}G_{xz}xyz(x^2-2y^2+z^2)}{44} + \frac{\sqrt{462}G_{yz} z(3x^4+6x^2y^2-8x^2z^2-2y^2z^2+z^4)}{44}$$

$$- \frac{3\sqrt{154}G_u x(x^2y^2-x^2z^2+y^4-9y^2z^2+2z^4)}{88} - \frac{\sqrt{462}G_v x(x^2y^2-x^2z^2-5y^4+27y^2z^2-4z^4)}{88}$$

$$- \frac{\sqrt{462}G_{xy} y(2x^2y^2-6x^2z^2-y^4+8y^2z^2-3z^4)}{44} + \frac{\sqrt{462}G_{xz} z(6x^2y^2-2x^2z^2+3y^4-8y^2z^2+z^4)}{44} - \frac{\sqrt{462}G_{yz}xyz(2x^2-y^2-z^2)}{44}$$

$$\tilde{Q}_{4,1}^{(2,1)}[g](E,2), \tilde{Q}_{4,2}^{(2,1)}[g](E,2)$$

** symmetry

$$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$$

$$- \frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$$

** expression

$$- \frac{3\sqrt{22}G_u x(2x^4-3x^2y^2-17x^2z^2-5y^4+39y^2z^2+2z^4)}{88} - \frac{\sqrt{66}G_v x(2x^4-31x^2y^2+11x^2z^2+9y^4+39y^2z^2-12z^4)}{88}$$

$$- \frac{\sqrt{66}G_{xy} y(8x^4-12x^2y^2-12x^2z^2+y^4+2y^2z^2+z^4)}{44} + \frac{\sqrt{66}G_{xz} z(8x^4-12x^2y^2-12x^2z^2+y^4+2y^2z^2+z^4)}{44} - \frac{21\sqrt{66}G_{yz}xyz(y-z)(y+z)}{44}$$

$$- \frac{3\sqrt{22}G_u y(5x^4+3x^2y^2-39x^2z^2-2y^4+17y^2z^2-2z^4)}{88} - \frac{\sqrt{66}G_v y(9x^4-31x^2y^2+39x^2z^2+2y^4+11y^2z^2-12z^4)}{88}$$

$$+ \frac{\sqrt{66}G_{xy} x(x^4-12x^2y^2+2x^2z^2+8y^4-12y^2z^2+z^4)}{44} + \frac{21\sqrt{66}G_{xz}xyz(x-z)(x+z)}{44} - \frac{\sqrt{66}G_{yz} z(x^4-12x^2y^2+2x^2z^2+8y^4-12y^2z^2+z^4)}{44}$$